

## 40 SERIES




Warning Signs




## ATTENUATOR REFLECTORS


Dimensions are in inches. Material: Not Specified

Side Mounted Location : N/A





SIGN DETAIL



SIGN NUMBER	410503
PANEL SIZE	4'-0" X 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W3-1
BDR INSET/WIDTH	.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
ARROW/BORDER	TYPE: *
	COLOR: /Black
DEEED TO CATAL	OC OF CICNC FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ
ARROW	180	20.1	42.3	24.5	17
STOP SYM.	0	19.75	11.69	25.125	25.125

FILE:410503

Oct 06, 2017


Α	В	С	D	Е	F	G	Н	J	K	L	М	N
48	.75	1.25	12	6	8	1	.5	25.125	10	4.5	.75	3

Dimensions are in Inches

Material: .100 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted




Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	41-0507 -							
SIGN PANEL	1'-6" x 1'-6"							
TOTAL (Sq.fT.)	2.25							
MUTCD	W3-1							
BDR INSET/WIDTH	.375" / .625"							
CORNER RADIUS	1.5"							
BACKGROUND	TYPE: *							
	COLOR: Yellow							
LEGEND/BORDER	TYPE: *							
	COLOR: Black/Black							
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".								

REV'D /


PLOTTED: 12/19/19


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Α	В	С	Δ	Е	F	G	Н	J	K	L	М	Ν
18	.375	.625	4.5	2.25	3	.375	.187	9.5	3	1.75	.313	1.5







39.2"

SIGN NUMBER 41-0533 4'-0" x 2'-0" PANEL SIZE SIGN AREA 8.0 Sq.Ft. MUTCD W3-4 (CT) BDR INSET/WIDTH 0.38" / 0.63" 1.5" **CORNER RADIUS** \* **BACKGROUND** TYPE: COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROT	Х	Υ	WID	HT
$\dashv$						

Dimensions are in Inches

Material: .100 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

FILE: 41-0533 Aug 09, 2018

	LETTER POSITIONS (X)																	LENGT	TH SERIES/SIZE
	В	Е		Р	R	Е	Р	А	R	Е	D								C 2000
4.4	3.7	2.5	5	3.8	3.6	3.4	3.4	3.9	3.6	3.4	2.8	4.4						39.2	5
	Т	0		S	Т	0	Р												C 2000
11.9	3.1	3	5	3.2	3.1	3.9	2.8	11.9										24.3	5

**REV'D** 





41-0539 SIGN NUMBER 7'-6" x 2'-6" PANEL SIZE SIGN AREA 18.8 Sq.Ft. MUTCD W3-3 (CT) BDR INSET/WIDTH | 0.5" / 0.75" **CORNER RADIUS** 1.88" \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

Aug 09, 2018

Dimensions are in Inches

SIGN DETAIL

Material: .125 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

FILE: 41-0539

											LETT	ER P	OSIT	IONS	5 (X)			LENGT	H SERIES/SIZE
	W	Н	Е	N		F	L	Α	S	Н	I	N	G						C 2000
8.8	7.2	6.2	5.4	4.5	8	5.2	4.6	5.8	5.8	6.2	2.9	6.1	4.5	8.8				72.5	8
	S	Т	0	Р		Α	Н	Е	Α	D									C 2000
16.5	5.2	5	6.3	4.5	8	6.2	6.2	4.8	6.2	4.5	16.5							57	8

**REV'D** 





REV'D

ROT

41-0543

3.8 Sq.Ft.

1.5"

TYPE:

TYPE:

\*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

Х

BDR INSET/WIDTH 0.38" / 0.63"

2'-6" x 1'-6"

W4-4aP(CT)

COLOR: Yellow

\*

\*

WID

HT

COLOR: Black/Black

Υ

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER

**BACKGROUND** 

**SYMBOL** 

PANEL SIZE

SIGN AREA

MUTCD

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_

**Ground Mounted** 

FILE :41-0543 Jul 11, 2018

	LETTER POSITIONS (X)  LENGTH															ΓΗ SERIES/SIZE		
	Т	R	Α	F	F	I	С		F	R	0	М						C 2000
2.9	1.9	2	2.3	2	1.9	1	1.7	3	2	2.1	2.4	2	2.9				24.3	3
	R	I	G	Н	Т		D	0	Е	S								C 2000
4.9	2.2	1	2.3	2.1	1.5	3	2.2	2.4	1.9	1.7	4.9						20.3	3
	N	0	Т		S	Т	0	Р										C 2000
6.6	2.3	2.1	1.5	3	1.9	1.9	2.4	1.7	6.6								16.8	3





REV'D

SIGN AREA 3.8 Sq.Ft. MUTCD W4-4aP(CT) BDR INSET/WIDTH 0.38" / 0.63" 1.5" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

41-0544

2'-6" x 1'-6"

SIGN NUMBER

PANEL SIZE

SYMBOL

ROT X Y WID HT

-	 	 ·	 
$\exists$			

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

FILE: 41-0544 Jul 11, 2018

	LETTER POSITIONS (X)															LENGT	TH SERIES/SIZE			
	Т	R	Α	F	F	I	С		F	R	0	М								C 2000
2.9	1.9	2	2.3	2	1.9	1	1.7	3	2	2.1	2.4	2	2.9						24.3	3
	L	Е	F	Т		D	0	Е	S											C 2000
5.8	2	2	1.7	1.5	3	2.2	2.4	1.9	1.7	5.8									18.4	3
	N	0	Т		S	Т	0	Р												C 2000
6.6	2.3	2.1	1.5	3	1.9	1.9	2.4	1.7	6.6										16.8	3





REV'D

41-0564 SIGN NUMBER 2'-6" x 1'-6" PANEL SIZE SIGN AREA 3.8 Sq.Ft. MUTCD W4-4P(CT) BDR INSET/WIDTH 0.38" / 0.63" 1.5" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

Tul 11 2018

	riounic																		Jul 11, 2018
											LETT	ER P	OSIT	IONS	S (X)			LENGT	H SERIES/SIZE
	С	R	0	S	S	I	N	G											C 2000
7.1	2.3	2.1	2.2	2	2.2	1.1	2.3	1.7	7.1									15.9	3
	Т	R	Α	F	F	I	С		D	0	Е	S							C 2000
3	2	1.9	2.3	2	2	1	1.7	3	2.2	2.4	1.9	1.7	3					24	3
	N	0	Т		S	Т	0	Р											C 2000
6.6	2.3	2.1	1.5	3	1.9	1.9	2.4	1.7	6.6									16.8	3



SIGN NUMBER 41-0565 2'-6" x 1'-6" PANEL SIZE SIGN AREA 3.8 Sq.Ft. W4-4bP(CT) MUTCD BDR INSET/WIDTH 0.38" / 0.63" 1.5" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Χ	Υ	WID	HT

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

FILE: 41-0565 Jul 11, 2018

																	IILL	141-05	05		Jul 11, 2018
											LETT	ER P	OSIT	IONS	5 (X)					LENGT	H SERIES/SIZE
	0	N	С	0	М	I	N	G													C 2000
6.5	2.4	2.3	2.2	2.4	2.6	1.1	2.3	1.7	6.5											16.9	3
	Т	R	Α	F	F	I	С		D	0	E	S									C 2000
3	2	1.9	2.3	2	2	1	1.7	3	2.2	2.4	1.9	1.7	3							24	3
	N	0	Т		S	Т	0	Р													C 2000
6.6	2.3	2.1	1.5	3	1.9	1.9	2.4	1.7	6.6											16.8	3

REV'D



SIGN DETAIL 1:12



Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

REV'D 12/09 CHANGED SIGN NUMBER FROM 41-4638 TO 41-0808.

41-0808 SIGN NUMBER 2'-0" x 2'-0" PANEL SIZE SIGN AREA 4.0 Sq.Ft. MUTCD W25-1 BDR INSET/WIDTH 0.38" / 0.63" 1.5" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

FILE: 41-0808 Oct 06, 2018

									LETT	ER P	OSIT	IONS	5 (X)			LENGT	H SERIES/SIZE
0	N	С	0	М	I	N	G										C 2000
3.5	5.9	8.2	10.4	12.8	15.4	16.5	18.8									17	3
Т	R	Α	F	F	I	С											C 2000
5.6	7.5	9.5	11.8	13.7	15.7	16.7										12.8	3
Н	Α	S															C 2000
9	11.1	13.3														6	3
Е	Х	Т	Е	N	D	Е	D										C 2000
3.9	5.7	7.7	9.6	11.7	14	16.3	18.3									16.2	3
G	R	Е	Е	N													C 2000
6.8	9.1	11.3	13.3	15.4												10.3	3

SIGN DETAIL



Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

**Ground Mounted** 

REV'D 12/09
Changed sign number from 41-4639 to 41-0809.


SIGN NUMBER	41_0809									
PANEL SIZE	2'-0" x 2'-6"									
SIGN AREA	5.0 Sq.Ft.									
MUTCD	W25-1									
BDR INSET/WIDTH	0.38" / 0.63"									
CORNER RADIUS	1.5"									
BACKGROUND	TYPE: *									
	COLOR: Yellow									
LEGEND/BORDER	TYPE: *									
	COLOR: Black/Black									
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.										

WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

FILE:TR\_MSH\_SIN\_41\_0809 Sep 29, 2017

										LETT	ER P	OSIT	IONS	S (X)		ļ	LENGT	TH SERIES/SIZE
	0	N	С	0	М	I	N	G										C 2000
3.6	2.4	2.3	2.2	2.4	2.6	1.1	2.3	1.7	3.6								16.9	3
	Т	R	Α	F	F	I	С											C 2000
5.6	1.9	2	2.3	2	2	1	1.7	5.6									12.9	3
	Н	Α	S															C 2000
9	2.1	2.2	1.7	9.1													6	3
	Е	Х	Т	Е	N	D	Е	D										C 2000
4	1.8	2	2	2	2.3	2.3	2	1.7	4								16.1	3
	G	R	Е	Е	N													C 2000
6.9	2.3	2.2	2	2	1.7	6.9											10.3	3



SIGN DETAIL



REV'D

SYMBOL ROT X Y WID HT

41-0815

2.0 Sq.Ft. W16-15P

1.5"

TYPE:

TYPE:

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

BDR INSET/WIDTH 0.38" / 0.63"

2'-0" x 1'-0"

\*

\*

COLOR: Black/Black

COLOR: Yellow

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER

**BACKGROUND** 

PANEL SIZE

SIGN AREA

MUTCD

Dimensions are in Inches


Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_

**Ground Mounted** 

FILE: 410815 Feb 20, 2018

								LETT	ER P	OSIT	IONS	5 (X)			LENGT	TH SERIES/SIZE
	N	E	W													E 2000
4.5	5.4	4.3	5.3	4.5											15	5





SIGN NUMBER	41_0835								
SIGN PANEL	6.25								
EXIT CROWN									
TOTAL (Sq.fT.)	6.25								
BDR INSET/WIDTH	See Chart								
CORNER RADIUS	See Chart								
BACKGROUND	TYPE: *								
	COLOR: Yellow								
LEGEND/BORDER	TYPE: 🗶								
	COLOR: Black								
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".									

SYMBOL	ROT	Х	Υ	WID	ΗT

REV'D	/		

DIMENSIONS ARE IN INCHES


MATERIAL: .080 THK.SHEET ALUMINUM


SIDE MOUNTED

SIGN SUPPORT NO. N/A


LOCATION: N/A

ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC





SIGN DETAIL 1:35



Dimensions are in Inches

Material: .125 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Location: Haddam Route 82 E.B. M.P. 3.66

Location: East Haddam Route 82 W.B. M.P. 3.893

**Ground Mounted** 

REV'D

SIGN NUMBER	41-0885
PANEL SIZE	7'-0" x 5'-0"
SIGN AREA	35.0 Sq.Ft.
MUTCD	W3-6(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR


\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

Jul 12, 2018

FILE: 41-0885

											LETT	ER P	OSIT	IONS	S (X)					LENGT	TH SERIES/SIZE
	С	А	U	Т	I	0	N														D 2000
9.6	9.7	12	10	9.2	4.6	11.2	8.2	9.6												64.8	12
	S	W	I	N	G		В	R	I	D	G	Е									D 2000
6	6	8.2	3	7	5.4	7.2	6.7	6.7	3	6.9	7	5	6							72	8
	S	Т	0	Р																	D 2000
29.5	6.1	6	7.4	5.4	29.5															25	8
	W	Н	Е	N		L	I	G	Н	Т		F	L	Α	S	Н	Е	S			C 2000
10.7	4.5	3.9	3.4	2.8	5	3.3	1.7	3.8	3.5	2.6	5	3.3	2.9	3.6	3.7	3.9	3.2	2.8	10.7	62.7	5




SIGN NUMBER	411036
PANEL SIZE	7'-0" x 5'-0"
SIGN AREA	35.0 Sq.Ft.
MUTCD	W3-6(CT)
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
★ SHEETING TYPE	OG OF SIGNS FOR


Dimensions are in Inches


Material: .125 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground	Mount	ed					-											FILE	:41103	86		7/	12/2018
											LETT	ER P	OSIT	IONS	6 (X)						LENGT	Н	SERIES/SIZE
	В	R	I	D	G	Е		С	L	0	S	Е	D									C 20	00
6.3	5.8	5.8	2.9	5.9	6.1	4.1	8	6.1	5	5.9	5.8	5.4	4.5	6.3							71.4	8	
	В	Е	Т	w	Е	Е	N															C 20	00
27.8	4.4	3.6	3.4	5.4	4.1	4.1	3.4	27.8													28.3	6	
	7	:	0	0		Α	М		-		9	:	0	0		Α	Μ						
9.6	3.3	1.8	3.7	2.8	1	2.7	2	2	1.9	2	3.1	1.8	3.7	2.8	1	2.7	2						
													Е	Х	С	Е	Р	Т				B 20	00
												6	2.9	3.6	3.7	3.2	2.9	2.3	9.6		64.9	6,4	
	S	А	Т	•		S	U	N			&		Н	0	L	I	D	Α	Υ	S			В 2000
9.6	2.8	3.4	2.4	0.8	6.5	3	3.1	2.9	0.8	6.5	4.2	6	3	3.2	2.6	1.3	2.8	3.4	3.4	2.6	9.6	64.9	6
	Α	L	S	0		С	L	0	S	Е	D											C 20	00
18.7	4.7	3.6	4.3	3.5	6	4.6	3.8	4.4	4.4	4.1	3.4	18.7									46.7	6	
	4	:	0	0		Р	М		-		5	:	4	5		Р	М						
11.6	3.7	1.8	3.7	2.8	1	2.3	2	2	1.9	2	3.1	1.6	3.9	2.6	1	2.3	2						
														D	Α	I	L	Υ				B 20	00
													6	3.2	4.1	2.1	2.6	3.2	11.6		60.8	6,4	









## SIGN DETAIL



Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_

**Ground Mounted** 

REV'D /

SIGN NUMBER	41-1393
PANEL SIZE	2'-6" x 1'-6"
SIGN AREA	3.8 Sq.Ft.
MUTCD	W8-10(CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
. REFER TO CATAL	OG OF SIGNS FOR


\*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	Х	Υ	WID	HT
-					
1					


FILE:411393 8/10

8/10/2018

-																	 . 71133			0/10/2010
	LETTER POSITIONS (X)															LENGT	H SERIES/SIZE			
	W	А	L	К		В	I	К	E											B 2000
5.8	2.5	2.4	1.8	1.5	3.5	2.1	1.2	2.1	1.3	5.8									18.4	3.5
	Α	С	R	0	S	S		Т	R	Α	С	К	S							В 2000
2.5	2.3	2.2	2	2.1	1.9	1.5	1.7	1.8	1.8	2.3	2.2	1.9	1.5	2.5					25	3.5








Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

SIGN DETAIL 1:40



41-1703 SIGN NUMBER 15.8 Sq.Ft. SIGN PANEL MUTCD TOTAL (Sq.fT.) 15.8 BDR INSET/WIDTH | 0.75" /1.25" **CORNER RADIUS** 3" TYPE: \* BACKGROUND COLOR: Yellow \*LEGEND/BORDER TYPE: COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROT	Х	Υ	WID	HT
	I-2 Shield	0	9	4.5	24	24
_						

DIMENSIONS ARE IN INCHES

MATERIAL: .100 THK.SHEET ALUMINUM


SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: NORTH BRANFORD S.R. 740 (TOTKET RD.) ENGINEER: ASM DESIGNED BY: MJC CHECKED BY:\_\_\_\_\_

	LETTER POSITIONS (X)												LENGT	H SERIES/SIZE				
N	0		Т	R	U	С	К											В 2000
6.4	10.1	12.9	18.9	22	25.5	29.3	33										29.2	6
А	С	С	E	S	S		Т	0										В 2000
5.3	9.2	12.7	16.4	19.3	22.5	25.1	31.1	34									31.5	6

SIGN DETAIL



REV'D

COLOR: Black /Black

\*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

3"

TYPE:

TYPE:

41-1704

3'-6" x 4'-6"

15.8 Sq.Ft.

W7 (CT)

COLOR: Yellow

\*

\*

BDR INSET/WIDTH 0.75" / 1.25"

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER

BACKGROUND

PANEL SIZE

SIGN AREA

MUTCD

SYMBOL	ROT	Х	Υ	WID	HT
M1_5_1	0	9	4.5	24	24

Dimensions are in Inches


Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

**Ground Mounted** 

FILE:41-1704 Aug 11, 2018

r-																,			7.49 11, 2010
	LETTER POSITIONS (X)													LENGT	TH SERIES/SIZE				
	N	0		Т	R	U	С	K											B 2000
6.4	3.7	2.8	6	3.1	3.5	3.7	3.7	2.6	6.4									29.2	6
	Α	С	С	Е	S	S		Т	0										В 2000
5.3	3.9	3.5	3.7	2.9	3.2	2.6	6	2.9	2.8	5.2								31.5	6





412101


HT

SIGN NUMBER

LETTER POSITIONS (X)													LENGTH SERIES/SIZE					
	S	С	Н	0	0	L												D 2000
2	3.3	3.6	3.6	3.6	3.7	2.5	1.8										20.3	4







SIGN NUMBE	R	41_2112					
SIGN PANEL		6.75					
EXIT CROWN							
TOTAL (Sq.fT	.)	6.75					
BDR INSET/V	VIDTH	See Chart Below					
CORNER RAD	IUS	See Chart Below					
BACKGROUN	D	TYPE: *					
	COLO	R: Fluor. Yellow-Green					
LEGEND/BOR	DER	TYPE: *					
		COLOR: Black/Black					
REFER TO CATALOG OF SIGNS FOR  ** SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".							

REVISED BACKGROUND COLOR

**DIMENSIONS ARE IN INCHES** 


MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A

ENGINEER: TLF DESIGNED BY: GMF CHECKED BY:



Α	В	С	D	Е	F	G	Н
48	.75	1.25	3.25	32	5	6	3

**DIMENSIONS ARE IN INCHES** 

MATERIAL: .100 THK.SHEET ALUMINUM

SIDE MOUNTED

1:15


SIGN SUPPORT NO. N/A


LOCATION: N/A

ENGINEER: TLF DESIGNED BY: GMF CHECKED BY:\_\_\_\_\_

SIGN NUMBE	R	41_2113					
SIGN PANEL		12.0					
EXIT CROWN							
TOTAL (Sq.fT	.)	12.0					
BDR INSET/V	VIDTH	See Chart Below					
CORNER RAD	IUS	See Chart Below					
BACKGROUN	D	TYPE: 🗱					
	COLO	R: Fluor. Yellow-Green					
LEGEND/BOR	DER	TYPE: *					
		COLOR: Black/Black					
** REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".							

REVISED BACKGROUND COLOR





SIGN NUMBER	41-2166
SIGN PANEL	9.0
EXIT CROWN	==
TOTAL (Sq.fT.)	9.0
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
COL	OR: Fluor. Yellow Green
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR PE. WHEN COLOR IS

BLACK TYPE IS "PLAIN".

REV'D \_\_/\_\_

DIMENSIONS ARE IN <u>INCHES</u>


MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION:N/A

ENGINEER: JPO DESIGNED BY: GMF CHECKED BY:



SIGN NUMBER	41-2167					
SIGN PANEL	16.0					
EXIT CROWN						
TOTAL (Sq.fT.)	16.0					
BDR INSET/WIDTH	0.75" / 1.25"					
CORNER RADIUS	2.25"					
BACKGROUND	TYPE: *					
СО	LOR: Fluor. Yellow Green					
LEGEND/BORDER	TYPE: *					
	COLOR: Black/Black					
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".						

REV'D

DIMENSIONS ARE IN INCHES


MATERIAL: .100 THK.SHEET ALUMINUM


SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION :N/A

ENGINEER: JPO DESIGNED BY: GMF CHECKED BY:





SIGN NUMBER	412201
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W10-1
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	
BACKGROUND	TYPE: *
	COLOR: Fluor. Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR PE. WHEN COLOR IS

SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED: 8/21/2018

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



**Ground Mounted** 

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_



REV'D

SIGN AREA

MUTCD

BDR INSET/WIDTH 0.375" / 0.625"

CORNER RADIUS 1.5"

BACKGROUND TYPE: \*

COLOR: Fluor.Yellow

LEGEND/BORDER TYPE: \*

COLOR: Black/Black

REFER TO CATALOG OF SIGNS FOR

41-2203

2'-6" x 1'-6"

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT


FILE: 41-2203

SIGN NUMBER

PANEL SIZE

8/21/2018

	1111.71-2205														0/21/2010					
											LETT	ER P	OSIT	IONS	S (X)				LENGT	TH SERIES/SIZE
	N	0		S	А	L	Т													C 2000
3	4.1	3.5	2	3.7	4.3	3.3	3.1	3											24	6



SIGN NUMBER	41-2204					
SIGN PANEL	2'-0" x 2'-0"					
TOTAL (Sq.fT.)	4.0					
MUTCD	W10-12					
BDR INSET/WIDTH	0.375" / 0.625"					
CORNER RADIUS	1.5"					
BACKGROUND	TYPE: *					
	COLOR: Fluor. Yellow					
LEGEND/BORDER	TYPE: 🗶					
	COLOR: Black/Black					
	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".					


REV'D


PLOTTED:

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A







36

С

.875

.625

D

G

12

Н


17

12

SIGN NUMBER	41-2207					
SIGN PANEL	3'-0" x 3'-0"					
TOTAL (Sq.fT.)	9.0					
MUTCD	W10-4					
BDR INSET/WIDTH	0.625" / 0.875"					
CORNER RADIUS	2.25"					
BACKGROUND	TYPE: *					
	COLOR: Fluor. Yellow					
LEGEND/BORDER	TYPE: 🗶					
	COLOR: Black/Black					
	TALOG OF SIGNS FOR PE, WHEN COLOR IS IS "PLAIN".					

REV'D /


PLOTTED: 8/28/2018




Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A






SIGN NUMBER	41-2211
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W10-2 (CT)
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Fluor. Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEFED TO CA	TALOG OF SIGNS FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".


REV'D

PLOTTED: 5/30/2018



Material: .080 Thk. Sheet Aluminum

Location: N/A




SIGN NUMBER	41-2212
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W10-4
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Fluor. Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED: 8/28/2018



Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

36

.625

.875

12

17

12

SIGN DETAIL



Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

**Ground Mounted** 

REV'D /

SIGN NUMBER	412217
PANEL SIZE	4'-0" x 2'-6"
SIGN AREA	10.0 Sq.Ft.
MUTCD	W10-7 (CT)
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: FL.Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR


\*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROI	Х	Y	MID	HI
=						
_						

FILE: 412217 10/16/2018

	LETTER POSITIONS (X)															LENG	TH SERIES/SIZE		
	T R A I N																C 2000		
16.5	3.3	3.3	3.9	1.8	2.8	16.5												15	5
	А	Р	Р	R	0	А	С	Н	ı	Ν	G								C 2000
4.8	3.9	3.8	3.8	3.5	3.6	3.8	3.8	3.9	1.8	3.8	2.8	4.8						38.5	5
	W	Н	E	Ν		F	L	А	S	Н	ı	N	G						C 2000
3	4.3	3.6	3.2	2.8	4	3.1	2.8	3.5	3.4	3.6	1.5	3.5	2.8	3				42	5





Material: .080 Thick Sheet Aluminum

Χ

3.4

Ε

3.2

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_

Μ

4.1

Т

2.5

2.5

**Ground Mounted** 

2.5

Е

2.9

REV'D

LETTER POSITIONS (X)

SIGN NUMBER	41-2220
PANEL SIZE	2'-0" x 1'-0"
SIGN AREA	2.0 Sq.Ft.
MUTCD	W10-1a (CT)
BDR INSET/WIDTH	0.38" / 0.44"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Fluor. Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT


LENGTH


8/21/2018

SERIES/SIZE

	 	 (/\)				
						D 2000
					19	4

FILE: 41-2220








Material: .080 Thick Sheet Aluminum

	Α	В	С	D	E	F	G	Н	J	K	L	M	N
ĺ	24	12	.375	.625	4.323	3	30°	5.844	3.282	5.884	6.925	.600	1.5



Note: For use on local roads only-state roads use sign #41-2617.

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_ **Ground Mounted** 


REV'D

41-2607 SIGN NUMBER 2'-0" x 1'-0" PANEL SIZE SIGN AREA 2.0 Sq.Ft. W16-7pL MUTCD BDR INSET/WIDTH 0.38" / 0.63" 1.5" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: Fluor.Yellow \* TYPE: ARROW/BORDER COLOR: Black/Black


\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Y	WID	НТ
AR_Type D	120	6.2	2.2	8.1	12.6

FILE: 41-2607 Date: 8/11/18 LETTER POSITIONS (X) SERIES/SIZE LENGTH




## SIGN DETAIL



SIGN NUMBER	41-2611
SIGN PANEL	2'-0" x 1'-6"
TOTAL (Sq.fT.)	3.0
MUTCD	W16-5P
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
* REFER TO CA SHEETING TY BLACK TYPE I	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".

REV'D /

PLOTTED: 8/11/2018



ARROWHEAD DETAIL N.T.S.


Α	В	С	D	Е
3.75	4.3125	7.625	.5625	.75

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

## SIGN DETAIL 1:15




Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted

Engineer: B.\_Schilling\_ / Designed By: J.\_Fascione / Checked By:



ARROWHEAD DETAIL N.T.S.

Α	В	С	D	Е
3.75	4.3125	7.625	.5625	.75

REV'D

SIGN NUMBER	41-2612
PANEL SIZE	2'-6" x 2'-0"
TOTAL (Sq.fT.)	5.0 Sq.Ft.
MUTCD	W16-6P
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
ARROW/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO 64	00 05 07 0NO 50D


\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROT	Х	Υ	WID	HT
	AR90L1	0	5.1	4.5	15	19.8
-						

FILE: 41-2612

9		oc. iiiiii	9_ / 00	Joigned		43010	, i.c / Ci	iccicu	<u> </u>							LILE	:41-20	12		
	LETTER POSITIONS (X)													LENGTH	SERIES/SIZ					






Material: .080 Thk. Sheet Aluminum

Side Mounted

Engineer: B.\_Schilling\_ / Designed By: J.\_Fascione / Checked By: \_\_\_\_



ARROWHEAD DETAIL N.T.S.

Α	В	С	D	E
3.75	4.3125	7.625	.5625	.75


REV'D


SIGN NUMBER	41-2613								
PANEL SIZE	2'-6" x 2'-0"								
TOTAL (Sq.fT.)	5.0 Sq.Ft.								
MUTCD	W16-6P								
BDR INSET/WIDTH	0.38" / 0.63"								
CORNER RADIUS	1.5"								
BACKGROUND	TYPE: *								
	COLOR: Yellow								
ARROW/BORDER	TYPE: *								
	COLOR: Black/Black								
DEEED TO CATALOC OF CICNS FOR									


\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT
AR90L1	0	5.1	4.5	15	19.8

					LETT	ER P	OSIT	IONS	S (X)			LENGTI	+	SERIES/SIZE








Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A



Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р	Q	R	S	Т	U
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375	7.875	5.25	1.688	3.938	2.25	3	7.56	7.94	8

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A




Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р	Q	R	S	Т	U
48	.75	1.25	6.276	3	9.975	.623	6.98	22.443	16.45	10.473	7	2.245	5.23	3	3.99	12.2	8.811	10.64

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A


AA	ВВ					
8.97	8.83					



Material: .100 Thick Sheet Aluminum


Engineer: D. Rundio / Designed By: J. Fascione / Checked By:\_\_\_\_\_

**Ground Mounted** 



Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A



Α	В	С	D	E	F	G	Н	J	K	L	Μ	N	Р	Q	R	S	Т	U
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375	7.875	5.25	1.688	3.938	2.25	3	1.45	6.42	8

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A




A	В	С	D	E	F	G	Н	J	K	L	M	N	Р	Q	R	S	Т	U
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375	7.875	5.25	1.688	3.938	2.25	3	9.176	6.625	8

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

AA	ВВ
6.75	6.64




Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р	Q	R	S	Т	U
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375	7.875	5.25	1.688	3.938	2.25	3	9.176	6.625	8

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A


AA	BB
6.75	6.64



Α	В	С	D	Е	F	G	Ι	J	K	L	М	N	Р	Q	R	S	Т	U
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375	7.875	5.25	1.688	3.938	2.25	3	1.39	6.50	8

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A




Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р	Q	R	S	Т	U
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375	7.875	5.25	1.688	3.938	2.25	3	3.326	12.75	8

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A


AA	BB
.76	14.27



Α	В	С	D	Е	F	G	Ι	J	K	L	М	N	Р	Q	R	S	Т	U
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375	7.875	5.25	1.688	3.938	2.25	3	3.326	12.75	8


Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A





Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Α	В	С	D	Е	F	G	Н	J	K
36	.625	.875	19.438	3.21	5.25	3	3.625	4.5	9.8

L	М	Р	Q	R	S	Т	U	AA
.67	2.25	45°	8	9.22	9.14	13.57	5.06	1.25





DIMENSIONS ARE IN INCHES


MATERIAL: .100 THK.SHEET ALUMINUM


SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION:N/A

ENGINEER: TLF DESIGNED BY: JMF CHECKED BY:






Α	В	С	D	Е	F	G	Н	J	K
36	.625	.875	19.438	3.21	5.25	3	3.625	4.5	9.8


S AΑ Μ Ρ Q R U 2.25 45° 9.22 9.14 13.57 5.06 1.25 .67 8

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A






Α	В	С	D	Е	F	G	Н	J	K
36	.625	.875	19.438	3.21	5.25	3	3.625	4.5	9.8


L M P Q R S T U AA
.67 2.25 45° 8 2.64 5.43 13.57 5.06 1.25

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A








Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A










Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Α	В	С	D	Е	F	G	Н	J	K	L
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375	7.875

М	N	Р	Q	R	S	Т	U	V	W
5.25	1.688	3.938	2.25	3	3.28	12.8	8	2.32	6.94




Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Α	В	С	D	Е	F	G	Н	J	K
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375

L	М	N	Р	Q	R	S	Т	U
7.875	5.25	1.688	3.938	2.25	3	3.28	12.8	8



SIGN NUMBER	41-3943					
PANEL SIZE	3'-0" x 3'-0"					
TOTAL (Sq.fT.)	9.0 Sq.Ft.					
MUTCD	W1 <b>-</b> 10a					
BDR INSET/WIDTH	.625" / .875"					
CORNER RADIUS	2.25"					
BACKGROUND	TYPE: *					
	COLOR: Yellow					
SYMBOL/BORDER	TYPE: *					
	COLOR: Black/Black					
REFER TO CATALOG OF SIGNS FOR						

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Y	WID	HT			
REV'D /								

FILE:41-3943


Dimension are in Inches

Material: .080 Thick Sheet Aluminum

Sign Support No. N/A

Location: N/A	
Engineer: E. Schoumaker Designed By: J. Fascione Checked By:	
Ground Mounted	

Α	В	С	D	Е	F	G	Н	I
36	.625	.875	12.169	9.367	.808	2.842	2.922	12.169
J	K	L	Μ	Ν	Р	Q	R	
5	4.363	11.528	3	4	45°	6	2.25	



SIGN NUMBER	41-3945				
SIGN PANEL	2'-6" x 2'-6"				
MUTCD	W1-11				
TOTAL (Sq.fT.)	6.25				
BDR INSET/WIDTH	See Chart				
CORNER RADIUS	See Chart				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black				
REFER TO CATALOG OF SIGNS FOR  * SHEETING TYPE, WHEN COLOR IS					

BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ

REV'D

	A	В		0			G		, ,	
D D-18	30	.5	.75	9.407	5.804	7.365	7.845	3.603	1.875	


DOT ARROWHEAD DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A
ENGINEER: LNC DESIGNED BY: GMF CHECKED BY: LNC



DOT ARROWHEAD D-23
<b>DIMENSIONS ARE IN INCHES</b>

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

Α

36

SIGN SUPPORT NO. N/A

LOCATION: N/A

ENGINEER : A. Brito DESIGNED BY : J. Fascione CHECKED BY :\_\_\_\_\_


Ι	J	K	L	М
16.5	2.375	45°	1.875	.63
		1		
N	0	P	Q	R
5.25	6	11.156	.796	1.03125

SIGN NUMBER	41-3946						
SIGN PANEL	9.0						
MUTCD	W1-10c						
TOTAL (Sq.fT.)	16.0						
BDR INSET/WIDTH	.625/.875						
CORNER RADIUS	2.25						
BACKGROUND	TYPE: *						
	COLOR: Yellow						
LEGEND/BORDER	TYPE: *						
	COLOR: Black						
DEEED TO CA							


\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

REV'D



ARROWHEAD DETAIL N.T.S.



Α	В	С	D	Е	F	G	Н	J	K	L	М	N	0
36	.625	.875	17.438	4.219	5.25	1.25	3.625	4.5	12.469	1.656	2.25	8	3

Р	Q	R	S	Т
5.25	6	1.0625	10.625	.8125

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


SIGN NUMBER	41-3947
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-3(CT)
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


## REV'D 6/18

Revised Background Color to Yellow.

PLOTTED: 6/30/2018



ARROWHEAD DETAIL N.T.S.



DOT ARROWHEAD D-23 SYMBOLS ARE SOLID

36

**DIMENSIONS ARE IN INCHES** 

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A

ENGINEER: A. Brito DESIGNED BY: J. Fascione CHECKED BY:\_\_\_\_\_


Р	Q	R	S	Т
5.25	6	1.0625	10.625	.8125

SIGN NUMBER	413948
SIGN PANEL	9.0
MUTCD	W1-3RbCT
TOTAL (Sq.fT.)	9.0
BDR INSET/WIDTH	.625/.875
CORNER RADIUS	2.25
BACKGROUND	TYPE: 🗶
	COLOR: Yellow
LEGEND/BORDER	TYPE: 🗶
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	Х	Υ	WID	НТ

REV'D 6/18
Revised Background Color to Yellow.



ARROWHEAD DETAIL N.T.S.

SIGN DETAIL



SIGN NUMBER	41-3949
SIGN PANEL	2'-6" x 2'-6"
TOTAL (Sq.fT.)	6.25
MUTCD	W1-11
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
5===5 = 5 64	

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ				
W1 <b>-</b> 11a	0	10.8	12.9	16.8	21.9				
REV'D /									

FILE:\$FILES\$

6/8/2018

Dimension are in Inches


Material: .080 Thick Sheet Aluminum

Sign Support No. N/A

Location : N/A

Engineer: A. Brito Designed By: J. Fascione Checked By:\_\_\_\_\_

Α	В	С	D	Е	F	G	Н	J
30	.5	.75	9.407	5.804	7.365	7.845	3.603	1.875



SIGN NUMBER	41-3950
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-11
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR PE. WHEN COLOR IS

BLACK TYPE IS "PLAIN".


Revised panel color from Fluor Yellow to Yellow. PLOTTED: 6/5/2018

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

SIGN DETAIL



Α	В	С	D	Е	F
18	24	9	12	.75	1.5

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted

SIGN NUMBER	413951				
PANEL SIZE	1'-6" x 2'-0"				
SIGN AREA	3.0 Sq.Ft.				
MUTCD	W1-8				
BDR INSET/WIDTH	0" / 0"				
CORNER RADIUS	1.5"				
BACKGROUND	TYPE: 🗶				
	COLOR: Fluor.Yellow				
SYMBOL	TYPE: 🗶				
	COLOR: Black				
REFER TO CATALOG OF SIGNS FOR K SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".					

SYMBOL	ROT	Х	Υ	WID	HT

PLOTTED :5/1/2018




SIGN NUMBER	413952
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	W2-3R
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
SYMBOL/BORDER	TYPE: *
	COLOR: Black/Black
	ALOG OF SIGNS FOR E. WHEN COLOR E IS "PLAIN".

REV'D 7/18
Revised background color to Yellow.

Dimensions are in Inches Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:----

Α	В	С	D	Е	F	G	Ι	J	K
36	.625	.875	10	6	15	.844	1.5	4.5	2.25



SIGN NUMBER	413953
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	W2-3
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: 🗱
	COLOR: Yellow
SYMBOL/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATA	ALOG OF SIGNS FOR

SHEETING TYPE WHEN COLOR IS BLACK TYPE IS "PLAIN".


REV'D 7/18
Revised background color to Yellow.

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Α	В	С	D	Е	F	G	Н	J	K
36	.625	.875	10	6	15	.844	1.5	4.5	2.25




\*

\*

Dimensions are in Inches


Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_



Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_



DOT ARROWHEAD D-23 DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A

ENGINEER : A. Brito DESIGNED BY : J. Fascione CHECKED BY :\_\_\_\_\_


N	0	Р	Q	R
5.25	6	11.156	.796	1.03125

SIGN NUMBER	41-3959
SIGN PANEL	9.0
MUTCD	W1-10c
TOTAL (Sq.fT.)	16.0
BDR INSET/WIDTH	.625/.875
CORNER RADIUS	2.25
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black
REFER TO CA	TALOG OF SIGNS FOR


\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ

REV'D /



ARROWHEAD DETAIL N.T.S.




DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK SHEET ALUMINUM

ENGINEER: B. Schilling DESIGNED BY: J. Fascione CHECKED BY:\_\_\_\_\_

**GROUND MOUNTED** 

SIGN DETAIL



SIGN NUMBER	41-3979				
SIGN PANEL	16.0				
MUTCD	W1-11				
TOTAL (Sq.fT.)	16.0				
BDR INSET/WIDTH	0.75" / 1.25"				
CORNER RADIUS	3				
BACKGROUND	TYPE: 🗶				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: 🗶				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR  * SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".					

REV'D /

PLOTTED: 6/5/2018

**DIMENSIONS ARE IN INCHES** 

MATERIAL: .100 THK.SHEET ALUMINUM


SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A

ENGINEER: MAC DESIGNED BY: JMF CHECKED BY:\_\_\_\_\_

Α	В	С	D	Е	F	G	Η	J
48	.75	1.25	15.051	9.287	11.768	12.169	5.764	3



SIGN NUMBER	41-3985
PANEL SIZE	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0 Sq.Ft.
DATE	Jun 21, 2017
BDR INSET/WIDTH	.625" / .875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
SYMBOL/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT		
REV'D /							

FILE:41-3985


Dimension are in Inches


Material: .080 Thick Sheet Aluminum


Sign Support No. N/A Location: N/A

Engineer: E. Schoumaker Designed By: J. Fascione Checked By:\_\_\_\_\_


Α	В	С	D	E	F	G	Н	I
36	.625	.875	12.169	9.367	.808	2.842	2.922	12.169
J	K	L	М	Ν	Р	Q	R	
5	4.363	11.528	3	4	45°	6	2.25	








Engineer: B. Schilling / Designed By: J. Fascione / Checked By:





SIGN NUMBER	41-4006
SIGN PANEL	2'-6" x 2'-6"
TOTAL (Sq.fT.)	6.25
MUTCD	W1-1
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

## REV'D

PLOTTED: 6/9/2018

Dimensions are in inches.


Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Α	В	С	D	E	F	G
30	.5	.75	12	3.75	4.375	9.688

Н	J	K	L	М	N	
6.25	3	1.875	1	4.063	1.875	



.625 | 5.405 | 5.144

4.687 3.375 1.75 1.312 2.06 2.625 6.187

1.5

Dimensions are in inches.


Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

18

.375



C

.625 | 5.405 | 5.144

SIGN NUMBER	41-4014
SIGN PANEL	1'-6" x 1'-6"
TOTAL (Sq.fT.)	2.25
MUTCD	W1-2
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
. REFER TO CA	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

# REV'D

S R Q R

ARROWHEAD DETAIL N.T.S.

Q	R	S	Т	U
2.625	3	5.25	.375	.5

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

18

.375

	Н						Р
4.687	3.375	1.75	1.312	2.06	2.625	6.187	1.5




**DIMENSIONS ARE IN INCHES** 

MATERIAL: .100 THK.SHEET ALUMINUM

ENGINEER: B. Schilling DESIGNED BY: J. Fascione CHECKED BY:\_\_\_\_\_

**GROUND MOUNTED** 



SIGN NUMBER 412024 2'-6" x 1'-6" PANEL SIZE SIGN AREA 3.8 Sq.Ft. MUTCD BDR INSET/WIDTH 0.38" / 0.63" **CORNER RADIUS** 1.5" \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Χ	Υ	WID	HT

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

FILE: 414024

Mar 14, 2018

										 							IILL	.41402	-T		Mai 14, 2016
										LETT	ER P	OSIT	IONS	S (X)						LENGT	H SERIES/SIZE
	С	U	R	V	Е																C 2000
8.1	3	3.1	2.6	3	2	8.1														13.8	4
	S	Н	Α	R	Р	Е	N	S													C 2000
3.7	2.9	2.8	3.1	2.9	3	2.7	2.9	2.2	3.7											22.7	4
														1	·	1	1				



SIGN NUMBER	414029
SIGN PANEL	2'-6" x 2'-6"
TOTAL (Sq.fT.)	5.25'
MUTCD	W1-2
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR

SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D /

Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р
30	.5	.75	8.875	9.063	10	7.813	5.625	2.938	2.188	3.438	4.375	10.313	1.875


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

#### SIGN DETAIL



SIGN NUMBER	41_4031
SIGN PANEL	9.0
EXIT CROWN	
TOTAL (Sq.fT.)	9.0
BDR INSET/WIDTH	See Chart
CORNER RADIUS	See Chart
BACKGROUND	TYPE: 🗶
	COLOR: Yellow
LEGEND/BORDER	TYPE: 🗶
	COLOR: Black
. REFER TO CA	TALOG OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

R	EV	<u>/'C</u>	) /	/

Α	В	С	D	E	F	G	Н	J	K	L	М	N
36	.625	0.875	14.375	4.5	5.25	11.625	7.5	3.625	2.25	1.25	4.875	2.25

DOT ARROWHEAD D-23 DIMENSIONS ARE IN INCHES


MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A

ENGINEER: LNC DESIGNED BY: GMF CHECKED BY: LNC



SIGN NUMBER	414032
SIGN PANEL	9.0
MUTCD	W1-2R
TOTAL (Sq.fT.)	9.0
BDR INSET/WIDTH	See Chart
CORNER RADIUS	See Chart
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

REV'D /

Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р
36	.625	.875	10.625	10.875	12	9.375	6.75	3.5	2.625	4.125	5.25	12.375	2.25

DOT ARROWHEAD D-23 DIMENSIONS ARE IN INCHES


MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A

ENGINEER: LNC DESIGNED BY: GMF CHECKED BY: LNC



DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A


LOCATION: N/A

ENGINEER: LNC DESIGNED BY: GMF CHECKED BY: LNC


SIGN NUMBER	41_4036
SIGN PANEL	9.0
MUTCD	W1-10
TOTAL (Sq.fT.)	9.0
BDR INSET/WIDTH	.625/.875
CORNER RADIUS	2.25
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ



ARROWHEAD DETAIL N.T.S.



М	N	0	Р	Q
5.25	6	10.625	.8125	1.0625

DOT ARROWHEAD D-23 DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED


ENGINEER: B. SCHILLING DESIGNED BY: J. FASCIONE CHECKED BY:\_\_\_\_\_

SIGN NUMBER	41_4039
SIGN PANEL	9.0
MUTCD	W1-2CT
TOTAL (Sq.fT.)	9.0
BDR INSET/WIDTH	.625/.875
CORNER RADIUS	2.25
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black


\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

REV'D 7/18
Revised Background color to Yellow.



ARROWHEAD DETAIL N.T.S.



DOT ARROWHEAD D-23 DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK.SHEET ALUMINUM


ENGINEER: B. SCHILLING DESIGNED BY: J. FASCIONE CHECKED BY:\_\_\_\_\_

SIGN NUMBER	41_4041					
SIGN PANEL	9.0					
MUTCD	W1-2CT					
TOTAL (Sq.fT.)	9.0					
BDR INSET/WIDTH	.625/.875					
CORNER RADIUS	2.25					
BACKGROUND	TYPE: *					
	COLOR: Yellow					
LEGEND/BORDER	TYPE: *					
	COLOR: Black/Black					
DEFED TO CATALOG OF CIONG FOR						


\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

REV'D 7/18
Revised background color to Yellow.



ARROWHEAD DETAIL N.T.S.



DOT ARROWHEAD D-23	

**DIMENSIONS ARE IN INCHES** 

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

Α

SIGN SUPPORT NO. N/A

LOCATION: N/A


ENGINEER: LNC DESIGNED BY: GMF CHECKED BY: LNC

		1		
М	N	0	Р	Q
5.25	6	10.625	.8125	1.0625


SIGN NUMBER	414044				
SIGN PANEL	9.0				
MUTCD	W1-2CT				
TOTAL (Sq.fT.)	9.0				
BDR INSET/WIDTH	.625/.875				
CORNER RADIUS	2.25				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ



ARROWHEAD DETAIL N.T.S.



SIGN NUMBER	414045
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 sq.ft.
MUTCD	W1-10b
BDR INSET/WIDTH	.625" / .875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ

FILE: 414045

Nov 28, 2017


REV'D 6/10
REVISED SIGN SIZE FROM 30" TO 36" PER 2009 MUTCD.

Α	В	U	D	Е	F	G	Ι	J	K	L	М	N	Р	Q	R	S
36	0.625	0.875	10.625	10.875	12	9.375	6.75	3.5	2.625	4.125	5.25	12.375	2.25	14.625	3	6.375

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_



36 Q DOT ARROWHEAD D-23 5.25 10.625 .8125 1.0625 6

DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A


LOCATION: N/A

ENGINEER: LNC DESIGNED BY: GMF CHECKED BY: LNC


SIGN NUMBER	414046
SIGN PANEL	9.0
MUTCD	W1-2CT
TOTAL (Sq.fT.)	9.0
BDR INSET/WIDTH	.625/.875
CORNER RADIUS	2.25
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT



ARROWHEAD DETAIL N.T.S.



Α	В	С	D	Е	F	G	Н	J	K	L	М
36	10.65	10.875	9.4	3.2808	4.25	5.33	5	30	3	2.97	.906
							0	Р	Q	R	S
ARROW	/HEAD D	-23					5.25	6	10.625	.8125	1.0625

DOT

DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A


LOCATION: N/A

ENGINEER: LNC DESIGNED BY: GMF CHECKED BY: LNC


414047
9.0
W1-2CT
9.0
.625/.875
2.25
TYPE: *
COLOR: Yellow
TYPE: *
COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ



ARROWHEAD DETAIL N.T.S.



SIGN NUMBER	414050					
SIGN PANEL	3'-0" x 3'-0"					
MUTCD	W1-11					
TOTAL (Sq.fT.)	9.0					
BDR INSET/WIDTH	See Chart					
CORNER RADIUS	See Chart					
BACKGROUND	TYPE: *					
	COLOR: Yellow					
LEGEND/BORDER	TYPE: *					
	COLOR: Black					
	TALOG OF SIGNS FOR 'PE. WHEN COLOR IS					

BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT				
REV'D /									

Α	В	C	D	E	F	G	Н	J
36	.625	.875	11.288	6.965	9.313	9.407	4.375	2.25

DOT ARROWHEAD D-18 DIMENSIONS ARE IN INCHES


MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A

ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC



SIGN NUMBER	414054
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 sq.ft.
MUTCD	W1-2CT
BDR INSET/WIDTH	.625" / .875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

FILE:414054

7/5/2018


REV'D 7/19
Revised background color to Yellow.

Α	В	С	D	E	F	G	Н	J	K	L	М	N	Р	Q	R	S	T
36	.625	.875	12.169	9.367	12.209	9.707	7.205	2.842	2.922	4.363	5	12.169	45°	6.204	3	11.528	2.25

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_



Р	Q	R	S
8	14.1875	1.0625	1.375


SIGN NUMBER	414055
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 sq.ft.
MUTCD	W1-1R
BDR INSET/WIDTH	.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: 🗶
	COLOR: Black/Black

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ

FILE:414055

Nov 16, 2017




ARROWHEAD DETAIL N.T.S.

Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_



SIGN NUMBER	41-4056
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.fT.)	16.0
MUTCD	W1-1
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

## REV'D


PLOTTED: 6/9/2018


Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Α	В	С	D	Ш	F	G
48	.75	1.25	19.188	6	7	15.5

Н	J	K	L	М	N
10	4.875	3	1.625	6.5	3





SIGN NUMBER	41-4068
SIGN PANEL	4'-0" x 4-0"
TOTAL (Sq.fT.)	16.0
MUTCD	W1-2
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CA	TALOC OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED: 6/9/2018

Dimensions are in inches.


Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B.Schilling / Designed By: J. Fascione / Checked By:

Α	В	С	D	Е	F	G
48	48	1.25	14.188	14.5	16	12.5

Н	J	K	L	М	N	Р
9	4.688	3.5	5.5	7	16.5	3



Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


SIGN NUMBER	414078
SIGN PANEL	4'-0" x 4-0"
TOTAL (Sq.fT.)	16.0
MUTCD	W1-11
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: 🗶
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D 6 /20

Revised panel color from Fluor Yellow to Yellow.

PLOTTED: 6/5/2018



DOT ARROWHEAD D-23
DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A


ENGINEER : LNC DESIGNED BY : GMF CHECKED BY : LNC

3.281	3.367	10./2	5.54	9.4	3.0	7.154
М	N	0	Р	0	R	]
F 2F	6	10.625	0125	1.0625	2 02	
ე.∠ე	0	10.025	.0125	1.0025	3.83	


SIGN NUMBER	41_4080
SIGN PANEL	9.0
MUTCD	W1-10a
TOTAL (Sq.fT.)	9.0
BDR INSET/WIDTH	.625/.875
CORNER RADIUS	2.25
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CA	TALOC OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ



ARROWHEAD DETAIL N.T.S.



Α	В	С	D	Е	F	G	Н	J	K	L	М
36	2.78	9.793	12.375	3.329	2.25	8.579	3.281	9	9	4.5	4.079

DOT ARROWHEAD D-23 **DIMENSIONS ARE IN INCHES** 

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A

ENGINEER: AC DESIGNED BY: GMF CHECKED BY:


N	0	Р	Q	R
5.25	6	10.625	.8125	1.0625

SIGN NUMBER	41_4082				
SIGN PANEL	9.0				
MUTCD	W1				
TOTAL (Sq.fT.)	9.0				
BDR INSET/WIDTH	.625/.875				
CORNER RADIUS	2.25				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
DEEED TO CATALOG OF SIGNS FOR					

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	Х	Υ	WID	НТ

REV'D 6/10
REVISED SIGN SIZE FROM 30" TO 36" PER 2009 MUTCD.



ARROWHEAD DETAIL N.T.S.

#### SIGN DETAIL



SIGN NUMBER	414095
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 sq.ft.
MUTCD	W1-10
BDR INSET/WIDTH	.625" / .875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CATAL	OC OF CICNC FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

FILE:414095


REV'D 7/19
Revised background color to Yellow.

Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р	Q	R	S	Т
36	.825	.875	12.169	9.367	12.209	9.707	7.205	2.842	2.922	4.363	5	12.169	45	6.204	3	11.528	2.25

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_



Α	В	С	D	E	F	G	Н	J	К	L	М
30	.5	.75	14.5	3.5	4.375	1	3	3.75	10.375	1.375	1.875

Dimensions are in inches.


Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


SIGN NUMBER	41-4103				
SIGN PANEL	2'-6" x 2'-6"				
TOTAL (Sq.fT.)	5.25'				
MUTCD	W1-3R				
BDR INSET/WIDTH	0.5" / 0.75"				
CORNER RADIUS	1.875"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR					

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".



ARROWHEAD DETAIL N.T.S.

Р	Q	R	S	Т
4.375	5.4375	9.625	.75	1



Α	В	С	D	E	F	G	Н	J	K	L	М
30	.5	.75	14.5	3.5	4.375	1	3	3.75	10.375	1.375	1.875

Dimens	ions	are	in	inch	ies.
		<b>u</b> . <b>u</b>			


Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


SIGN NUMBER	41-4104				
SIGN PANEL	2'-6" x 2'-6"				
TOTAL (Sq.fT.)	5.25'				
MUTCD	W1-3L				
BDR INSET/WIDTH	0.5" / 0.75"				
CORNER RADIUS	1.875"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR					

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".



ARROWHEAD DETAIL N.T.S.


Р	Q	R	S	Η
4.375	5.4375	9.625	.75	1



SIGN NUMBER	41-4105
SIGN PANEL	4'-0" x 4-0"
TOTAL (Sq.fT.)	16.0
MUTCD	W1-13
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: 🗶
	COLOR: Black/Black
	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".

REV'D 7/18
Revised background color to Yellow.

PLOTTED:7/13/2018



ARROWHEAD DETAIL N.T.S.


Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Α	В	U	D	Е	F	G	Ι	J	K	L	М
48	.75	1.25	19.534	6.605	5.324	14.491	60°	1.521	16.332	19.534	3.082


N	Р	Q	R	S	Т
3	3.25	3.75	6.625	.5	.625



SIGN NUMBER	41-4106				
SIGN PANEL	4'-0" x 4-0"				
TOTAL (Sq.fT.)	16.0				
MUTCD	W1-13				
BDR INSET/WIDTH	0.75" / 1.25"				
CORNER RADIUS	3"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".					

REV'D /

PLOTTED:7/13/2018



ARROWHEAD DETAIL N.T.S.


Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Α	В	С	D	Е	F	G	Н	J	K	L	М
48	.75	1.25	19.534	6.605	5.324	14.491	60°	1.521	16.332	19.534	3.082

N	Р	Q	R	S	Т
3	3.25	3.75	6.625	.5	.625




SIGN NUMBER	41-4110
SIGN PANEL	3'-0" x 3-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-13
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CA	TALOG OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D /

PLOTTED:7/13/2018



ARROWHEAD DETAIL N.T.S.


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Α	В	С	D	Е	F	G	Н	J	K	L	М
36	.625	.875	14.651	4.963	4	10.848	60°	1.160	12.249	14.651	2.321

N	Р	Q	R	S	Т
2.25	2.625	3	5.25	.375	.5



SIGN NUMBER	414111
PANEL SIZE	1'-6" x 1'-6"
SIGN AREA	2.25 sq.ft.
MUTCD	W1-4R
BDR INSET/WIDTH	.375" / .625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ


Α	В	С	D	Е	F	G	Η
18	.375	.625	1.9375	1.25	3.875	.437	2.625
	•				•	•	

J	K	L	М	N	Р	Q	R
1.25	6.25	8.625	2.625	.875	2	1.5	8.375

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_



SIGN NUMBER	41-4112
SIGN PANEL	3'-0" x 3-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-13
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

REV'D

PLOTTED:7/13/2018



ARROWHEAD DETAIL N.T.S.

Dimensions are in inches.


Material: .080 Thk. Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Ground Mounted

Α	В	С	D	E	F	G	Н	J	K	L	М
36	.625	.875	14.651	4.963	4	10.848	60°	1.160	12.249	14.651	2.321

N	Р	Q	R	S	Т
2.25	2.625	3	5.25	.375	.5



10.625 .8125 1.0625

36	4	3	4.625	8.375	14.408	4.125	4.375	4.875	.75
	///EAD D	22				М	N	0	Р

5.25

DOT ARROWHEAD D-23 **DIMENSIONS ARE IN INCHES** 

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A


LOCATION: N/A

ENGINEER: LNC DESIGNED BY: GMF CHECKED BY: LNC


SIGN NUMBER	41-4122
SIGN PANEL	9.0
TOTAL (Sq.fT.)	9.0
MUTCD	W1-10a
BDR INSET/WIDTH	.625/.875
CORNER RADIUS	2.25
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black
REFER TO CA	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT		
DEVID /							
REV'D /							



ARROWHEAD DETAIL N.T.S.



6

10.625 .8125 1.0625

5.25

DOT ARROWHEAD D-23 DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A

ENGINEER: A. Brito DESIGNED BY: J. Fascione CHECKED BY: JPO


SIGN PANEL	9.0				
MUTCD	W1-10a				
TOTAL (Sq.fT.)	9.0				
BDR INSET/WIDTH	.625/.875				
CORNER RADIUS	2.25				
BACKGROUND	TYPE: 🗱				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: 🗶				
	COLOR: Black				
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".					

41-4123


SIGN NUMBER

SYMBOL	ROT	Х	Υ	WID	НТ		

REV'D /




ARROWHEAD DETAIL N.T.S.



SIGN NUMBER	41-4126
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-1R(CT)
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

# REV'D 8/18 Revised from 30" to 36".

PLOTTED: 8/9/2018




ARROWHEAD DETAIL N.T.S.

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



Α	В	С	D	E	F	G	Н	J	K	L	М
36	4	8.375	7.144	6.585	16.25	3	45°	9.1	2.5	.375	1.635

Р	Q	R	S	Т	U
12.5	5.25	6	10.625	.8125	1.0625

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

SIGN NUMBER	414130
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-10a
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR


\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED: 7/6/2018



ARROWHEAD DETAIL N.T.S.




SIGN NUMBER	414131				
SIGN PANEL	3'-0" x 3'-0"				
TOTAL (Sq.fT.)	9.0				
MUTCD	W1-10				
BDR INSET/WIDTH	0.625" / 0.875"				
CORNER RADIUS	2.25"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS					

\* SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED: 6/21/2018




ARROWHEAD DETAIL N.T.S.

Α	В	С	D	E	F	G	Ι	K	Ш	М	N	0	Ρ
36	12.75	4.5	4.5	4.876	14.375	11.625	9.125	5.25	6	10.625	.8125	1.0625	8.25 R

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A



SIGN NUMBER	414132			
SIGN PANEL	3'-0" x 3'-0"			
TOTAL (Sq.fT.)	9.0			
MUTCD	W1-10			
BDR INSET/WIDTH	0.625" / 0.875"			
CORNER RADIUS	2.25"			
BACKGROUND	TYPE: *			
	COLOR: Yellow			
LEGEND/BORDER	TYPE: *			
	COLOR: Black/Black			
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".				

REV'D /

PLOTTED: 6/21/2018




ARROWHEAD DETAIL N.T.S.

Α	В	С	D	Е	F	G	Н	K	L	М	N	0	Р
36	12.75	4.5	4.5	4.876	14.375	11.625	9.125	5.25	6	10.625	.8125	1.0625	8.25 R

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A




SIGN NUMBER	414135
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-3
BDR INSET/WIDTH	.625" / .875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR:Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
. REFER TO CA	TALOG OF SIGNS FOR

\* SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

# REV'D

PLOTTED: 6/21/2018



ARROWHEAD DETAIL N.T.S.


Α	В	С	D	Е	F	G	Н	J	K	L	М
36	.625	.875	17.438	30	5.25	1.25	3.625	4.5	12.469	1.656	2.25

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

F	G	H	J	K	L	М
5.25	1.25	3.625	4.5	12.469	1.656	2.25
	Ν	Р	Q	R	S	
	5.25	6	10.625	.8125	1.0625	



PANEL SIZE	3'-0" x 3'-0"				
SIGN AREA	9.0 sq.ft.				
MUTCD	W1-10a				
BDR INSET/WIDTH	.625" / .875"				
CORNER RADIUS	2.25"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".					

41-4138


WHEN COL	OR IS	BLACK	TYPE	IS "PL	AIN".
SYMBOL	ROT	Х	Υ	WID	НТ

SYMBOL	ROT	Х	Υ	WID	HT

FILE: 414253

SIGN NUMBER

7/6/2018




ARROWHEAD DETAIL N.T.S.

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_

Ground Mounted




SIGN NUMBER	414143 L or R							
SIGN PANEL	3'-0" x 3'-0"							
TOTAL (Sq.fT.)	9.0							
MUTCD	W1-10a							
BDR INSET/WIDTH	0.625" / 0.875"							
CORNER RADIUS	2.25							
BACKGROUND	TYPE: *							
	COLOR: Yellow							
LEGEND/BORDER	TYPE: *							
	COLOR: Black/Black							
. REFER TO CA	. REFER TO CATALOG OF SIGNS FOR							

\* SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED: 7/6/2018



ARROWHEAD DETAIL N.T.S.

3.65 12.169

K 4.76

4.363

Dimensions are in inches.


Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Α	В	С	D	E	F	G	Н	J
36	.625	.875	12.169	9.367	12.209	9.707	7.205	2.61
R	S	Т	U	V	W	X	Υ	Z
3	6.204	11.528	2.25	5	5.75	10.125	.75	1

#### SIGN DETAIL

1:15



SIGN NUMBER	41-4144
SIGN PANEL	9.0 Sq. Ft.
TOTAL (Sq.fT.)	9.0 Sq. Ft.
MUTCD	W1-10a
BDR INSET/WIDTH	SEE SIGN
CORNER RADIUS	SEE SIGN
BACKGROUND	TYPE: *
	COLOR: YELLOW
ARROW/BORDER	TYPE: *
	COLOR: BLACK
DEEED TO (	CATALOG OF GIGNG FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

А	В	С	D	E	F	G	Н	J	K	L	М	N	Р	Q	R	S	U
36	.625	.875	12.169	9.367	12.209	9.707	7.205	2.61	4.82	4.363	5	5.50	12.169	45 <sup>0</sup>	3	4	2.25

DIMENSIONS IN INCHES


MATERIAL: .080 THICK SHEET ALUMINUM

SIDE MOUNTED


SIDE MOUNT SUPPORT: N/A

LOCATION: N/A

ENGINEER: JRP DESIGNED BY: MJC CHECKED BY:\_\_\_\_\_



Α	В	O	О	Е
5	5.75	10.125	.75	1




SIGN NUMBER	41-4149
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-3
BDR INSET/WIDTH	.625" / .875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

# REV'D 6/18

Was obsoleted but now revised.
Background color changed to Yellow.

PLOTTED: 6/21/2018



ARROWHEAD DETAIL N.T.S.

Α	В	С	D	E	F	G	Н	J	K	L	М
36	.625	.875	17.438	30	5.25	1.25	3.625	4.5	12.469	1.656	2.25

Ν


5.25

10.625 .8125 1.0625

Dimensions are in inches.


Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	41-4151
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-4
BDR INSET/WIDTH	.625" / .875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CA	TALOC OF CICNC FOR

Was obsoleted but now revised.
Background color changed to Yellow.
PLOTTED: 6/21/2018



ARROWHEAD DETAIL N.T.S.


Α	В	С	О	Е	F	G	Н	J	K	L	М	N	Р	Q
48	.75	1.25	6.313	3	10	.625	7	22.5	16.5	10.5	7	2.25	5.25	3

Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A


R	S	Т	U	V
7	8	14.1875	1.0625	1.375



SIGN NUMBER	41-4152
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-4
BDR INSET/WIDTH	.625" / .875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

# REV'D

PLOTTED: 6/21/2018



ARROWHEAD DETAIL N.T.S.


Α	В	С	D	E	F	G	Η	J	K	L	М	N	Р	Q
48	.75	1.25	6.313	3	10	.625	7	22.5	16.5	10.5	7	2.25	5.25	3

Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A

R	S	Т	U	V
7	8	14.1875	1.0625	1.375



А	В	С	D	Е	F	G	Н	J	K	L	М
48	.75	1.25	23.188	5.625	7	1.625	4.875	6	16.625	2.188	3

Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum


Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

SIGN NUMBER	41-4153				
SIGN PANEL	4'-0" x 4'-0"				
TOTAL (Sq.fT.)	16.0				
MUTCD	W1-3R				
BDR INSET/WIDTH	0.75" / 1.25"				
CORNER RADIUS	3"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR  * SHEETING TYPE, WHEN COLOR IS					

\* SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".


## REV'D



O R S T

Р	Q	R	S	Τ
7	8	14.1875	1.0625	1.375

N.T.S.



ARROWHEAD DETAIL N.T.S.								
Р	Q	R	S	Т				
7	Q	1/1 1875	1 0625	1 375				

41-4154

16.0 W1-3L

TYPE:

TYPE:

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

BDR INSET/WIDTH 0.75" / 1.25"

4'-0" x 4'-0"

COLOR: Yellow

\*

\*

COLOR: Black/Black

R

SIGN NUMBER

CORNER RADIUS

BACKGROUND

LEGEND/BORDER

**REV'D** 

PLOTTED: 6/23/2018

Q

Q

SIGN PANEL TOTAL (Sq.fT.)

MUTCD


Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A

Α

48



Α	В	С	D	Е	F	G	Н	J	K	L	М
36	18.17	3	4.5	2.625	3	13.875	16.5	2.25	9.67	3	.75

Α	В	С	D	Е	F	G	Н	J	K	L	М
36	18.17	3	4.5	2.625	3	13.875	16.5	2.25	9.67	3	.75

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

SIGN NUMBER	414156
SIGN PANEL	2'-6" x 2'-6"
TOTAL (Sq.fT.)	5.25'
MUTCD	W1-10
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CA	TALOC OF CICNC FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".


REV'D

PLOTTED: 6/23/2018



ARROWHEAD DETAIL N.T.S.


N	L	Р	Q	R
5.25	6	10.625	.8125	1.0625



SIGN NUMBER	414160					
SIGN PANEL	3'-0" x 3'-0"					
TOTAL (Sq.fT.)	9.0					
MUTCD	W1-1R					
BDR INSET/WII	OTH 0.625" / 0.875"					
CORNER RADIU	JS 2.25"					
BACKGROUND	TYPE: 🗶					
	COLOR: Yellow					
LEGEND/BORDER	R TYPE: *					
	COLOR: Black/Black					
REFER TO CATALOG OF SIGNS FOR  * SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".						

# REV'D

PLOTTED: 1/18/18




ARROWHEAD DETAIL N.T.S.

Р	Q	R	S	Τ
2.625	3	5.25	.375	.5

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



Α	В	C	D	E	F	G	Н	J
36	.625	.875	4.875	2.25	7.5	90°	5.25	16.875
K	L	М	N	Р	Q	R	S	Т
12.375	7.875	5.25	1.688	3.938	8.25	3	5.757	2.25

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

SIGN NUMBER	414161				
SIGN PANEL	3'-0" x 3'-0"				
TOTAL (Sq.fT.)	9.0				
MUTCD	W1-10d				
BDR INSET/WIDTH	0.625" / 0.875"				
CORNER RADIUS	2.25"				
BACKGROUND	TYPE: 🗶				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".					


REV'D /

PLOTTED: 1/18/18



ARROWHEAD DETAIL N.T.S.

U	V	W	Х	Υ
5.25	6	10.625	.8125	1.0625



SIGN NUMBER	414165
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-10d
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR 'PE. WHEN COLOR IS IS "PLAIN"

# REV'D

PLOTTED: 7/6/2018


Α	В	С	D	E	F	G	Н	J	K	L	М	N	0
36	.625	.875	17.438	4.219	5.25	1.25	3.625	4.5	12.469	1.656	2.25	8	3

Р	Q	R	S	Т
5.25	6	1.0625	10.625	.8125


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



ARROWHEAD DETAIL N.T.S.



SIGN NUMBER	414166
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-10d
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

# REV'D

PLOTTED: 7/6/2018

Q

Q

Q

Q

Q

ARROWHEAD DETAIL N.T.S.

Α	В	С	D	Е	F	G	Н	J	K	L	М	N	0
36	.625	.875	17.438	4.219	5.25	1.25	3.625	4.5	12.469	1.656	2.25	8	3


Р	Q	R	S	Т
5.25	6	1.0625	10.625	.8125

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

### SIGN DETAIL



SIGN NUMBER	41-4167
SIGN PANEL	1'-6" x 1'-6"
TOTAL (Sq.fT.)	2.3 Sq.Ft.
MUTCD	W1-5R
BDR INSET/WIDTH	0.375" / 0.625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR PE, WHEN COLOR IS


BLACK TYPE IS "PLAIN"

REV'D

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum


Side Mounted



SIGN NUMBER	414168						
SIGN PANEL	2'-6" x 2'-6"						
TOTAL (Sq.fT.)	5.25'						
MUTCD	W1-2						
BDR INSET/WIDTH	0.5" / 0.75"						
CORNER RADIUS	1.875"						
BACKGROUND	TYPE: *						
	COLOR: Yellow						
LEGEND/BORDER	TYPE: *						
	COLOR: Black/Black						
, REFER TO CA	. REFER TO CATALOG OF SIGNS FOR						

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

# REV'D



ARROWHEAD DETAIL N.T.S.


Q	R	S	Т	J
4.375	5.4375	9.625	.75	1

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A


30



Α	В	С	D	Е	F	G	Н	J	К	L	М	N	Р
36	.625	.875	10.625	10.875	12	9.375	6.75	3.5	2.625	4.125	5.25	12.375	2.25

SIGN NUMBER	414169
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-2L
BDR INSET/WIDTH	0.625 / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".

# REV'D




Q	R	S	Т	U
5.25	6	10.625	.8125	1.0625

N.T.S.

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A



SIGN NUMBER	414170
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft
MUTCD	W1-10
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

SYMBOL	ROT	Х	Υ	WID	НТ

7/7/2018



ARROWHEAD DETAIL N.T.S.


М	M N		Q	R	
5.25	6	10.625	.8125	1.0625	

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted




SIGN NUMBER	414172
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-5
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	·

4.875 | 1.313 | 6.188 | 1.875 | 7.781 | 7.875 | 17.063 1.875 19.125

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	41-4174					
SIGN PANEL	4'-0" x 4'-0"					
TOTAL (Sq.fT.)	16.0 Sq.Ft.					
MUTCD	W1-5L					
BDR INSET/WIDTH	0.75" / 1.25"					
CORNER RADIUS	3"					
BACKGROUND	TYPE: *					
	COLOR: Yellow					
LEGEND/BORDER	TYPE: *					
	COLOR: Black/Black					
REFER TO CA	TALOG OF SIGNS FOR					


REV'D

Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р	Q	R	S
48	.75	1.25	2.5	25.5	1	6.5	1.75	8.25	2.5	10.5	4	22.75	.5	5	3.188	3

Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	41-4175
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.fT.)	16.0 Sq.Ft.
MUTCD	W1-5R
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CA	TALOG OF SIGNS FOR


REV'D /

Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р	Q	R	S
48	.75	1.25	2.5	25.5	1	6.5	1.75	8.25	2.5	10.5	4	22.75	.5	5	3.188	3

Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A



414177

9.0

W1-5

2.25"

TYPE:

TYPE:

COLOR: Yellow

\*

\*

COLOR: Black/Black


3'-0" x 3'-0"

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A


Α



Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A




SIGN NUMBER	414179
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-4R
BDR INSET/WIDTH	0.625 / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: 🗶
	COLOR: Black/Black
	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED: 6/23/2018



ARROWHEAD DETAIL N.T.S.

Α	В	С	D	Е	F	G	Ι	J	K	L	М	N	Q	Р	R	S	Т	U	V
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375	7.875	5.25	1.688	3.938	2.25	5.25	6	10.625	.8125	1.0625

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

# SIGN DETAIL A B C D E F G H

SIGN NUMBER	414181								
PANEL SIZE	1'-6" x 1'-6"								
SIGN AREA	2.25 sq.ft.								
MUTCD	W1-3R								
BDR INSET/WIDTH	.375" / .625"								
CORNER RADIUS	1.5"								
BACKGROUND	TYPE: *								
	COLOR: Yellow								
LEGEND/BORDER	TYPE: *								
	COLOR: Black/Black								
REFER TO CATAL	REFER TO CATALOG OF SIGNS FOR								

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

FILE:414181


Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted

		)	ט	_	'	٠		,	1	_	
18	.375	.625	8.719	2.109	2.625	.625	1.812	2.25	6.234	.828	1.5



SIGN NUMBER	414182						
SIGN PANEL	3'-0" x 3'-0"						
TOTAL (Sq.fT.)	9.0						
MUTCD	W1-10a						
BDR INSET/WIDTH	0.625" / 0.875"						
CORNER RADIUS	2.25						
BACKGROUND	TYPE: *						
	COLOR: Yellow						
LEGEND/BORDER	TYPE: *						
	COLOR: Black/Black						
DEFED TO CATALOG OF SIGNS FOR							

# REV'D


PLOTTED: 7/7/2018

Α .875 | 12.169 | 9.367 | 2.842 | 9.327 | 2.922 | 4.363 .625 5.9 5.0 11.528 6.204 3 9.705 36

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	414183					
SIGN PANEL	3'-0" x 3'-0"					
TOTAL (Sq.fT.)	9.0					
MUTCD	W1-10a					
BDR INSET/WIDTH	0.625" / 0.875"					
CORNER RADIUS	2.25					
BACKGROUND	TYPE: *					
	COLOR: Yellow					
LEGEND/BORDER	TYPE: *					
	COLOR: Black/Black					
REFER TO CATALOG OF SIGNS FOR						

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


REV'D

PLOTTED: 7/7/2018

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	414184					
SIGN PANEL	2'-6" x 2'-6"					
TOTAL (Sq.fT.)	6.25					
MUTCD	W1-5					
BDR INSET/WIDTH	0.5" / 0.75"					
CORNER RADIUS	2.25"					
BACKGROUND	TYPE: *					
	COLOR: Yellow					
LEGEND/BORDER	TYPE: *					
	COLOR: Black/Black					
DEEED TO CATALOG OF SIGNS FOR						

# REV'D

PLOTTED: 7/7/2018


Α	В	С	D	E	F	G	Н	J	K	L	М	N	Р	Q	R	S
30	.5	.75	1.563	15.938	.625	4.063	1.094	5.168	1.563	6.484	9.563	14.219	.313	3.125	2	1.875

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

SIGN DETAIL




Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A


Т	U	V	X	Υ		
4.0625	4.75	8.25	.625	.8125		



Dimensions are in inches.


Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	41-4189				
SIGN PANEL	3'-0" x 3'-0"				
TOTAL (Sq.fT.)	9.0				
MUTCD	W1-4				
BDR INSET/WIDTH	0.625" x 0.875"				
CORNER RADIUS	1.875"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".					

PLOTTED: 1/16/18



ARROWHEAD DETAIL N.T.S.


Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Q	Р
36	.625	.875	4.719	2.25	7.5	.469	5.25	16.875	12.375	7.875	5.25	1.688	3.938	2.25

R	S	Т	J	V
5.25	6	10.625	.8125	1.0625

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



Dimension are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: J.Massini Designed By: M.Cloutier Checked By:\_\_\_\_\_

41-4190


16.0 Sq.Ft.

4'-0" X 4'-0"

SIGN NUMBER

TOTAL (Sq.fT.)

PANEL SIZE



SIGN NUMBER	414194
PANEL SIZE	1'-6" x 1'-6"
SIGN AREA	2.25 sq.ft.
MUTCD	W1-5R
BDR INSET/WIDTH	.375" / .625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CATAL	OG OF SIGNS FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

FILE: 414194 7/7/2018


Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р	Q	R	S
18	.375	.625	1	9.625	.375	2.5	.625	3	1	4	4	8.625	25	2	1.25	1.5

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted



SIGN NUMBER	414198
PANEL SIZE	1'-6" x 1'-6"
SIGN AREA	2.25 sq.ft.
MUTCD	W1-4L
BDR INSET/WIDTH	.375" / .625"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CATAL	OC OF CICNC FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ

FILE: 414198

Α	В	С	D	Е	F	G	Н
18	.375	.625	1.9375	1.25	3.875	.437	2.625
7	1/		1 10	N.I.			

 J
 K
 L
 M
 N
 P
 Q
 R

 1.25
 6.25
 8.625
 2.625
 .875
 2
 1.5
 8.375


Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted





Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_

Ground Mounted

REV'D

SIGN NUMBER	41-4207
PANEL SIZE	4'-0" x 2'-0"
SIGN AREA	8.0 Sq.Ft.
MUTCD	W1-7
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
ARROW/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CATAL	OC OF SIGNS FOR


REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ
ARW2HD	0	3.5	3.2	17.5	41

FILF: 41-4207

8/9/2018

	FILE :41-4207 8/9/2018							
LETTER POSITIONS (X)								



41-4208 SIGN NUMBER 5'-0" x 2'-6" PANEL SIZE SIGN AREA 12.5 Sq.Ft. W1-7 MUTCD BDR INSET/WIDTH 0.63" / 0.88" **CORNER RADIUS** 2.25" \* **BACKGROUND** TYPE: COLOR: Yellow \* ARROW/BORDER TYPE: COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROT	Х	Υ	WID	HT
	ARW2HD	0	4.4	4	21.9	51.3
$\dashv$						

Dimensions are in Inches


Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Ground Mounted

Bround Mounted			FILE:41-4208	Jun 16, 2018			
	LETTER POSITIONS (X)						

REV'D



414210 L or R					
2'-0" x 2'-6"					
5.0					
W1-8					
N/A					
1.5"					
TYPE: *					
COLOR: Fluor. Yellow					
TYPE: *					
COLOR: Black/Black					
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".					


REV'D

PLOTTED: 1/19/18

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	414211				
SIGN PANEL	2'-6" x 3'-0"				
TOTAL (Sq.fT.)	7.5				
MUTCD	W1-8R				
BDR INSET/WIDTH	N/A				
CORNER RADIUS	1.875"				
BACKGROUND	TYPE: *				
	COLOR: Fluor. Yellow				
LEGEND/BORDER	TYPE: 🗶				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".					


REV'D

PLOTTED: 1/16/18

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	414213
SIGN PANEL	2'-6" x 2'-6"
TOTAL (Sq.fT.)	6.25
MUTCD	
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D


PLOTTED: 1/19/18


DOT Arrow D-15


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A







41-4217 SIGN NUMBER 2'-6" x 2'-6" SIGN PANEL TOTAL (Sq.fT.) 6.25 MUTCD W2-4 BDR INSET/WIDTH 0.5" / 0.75" **CORNER RADIUS** 1.875" TYPE: \* **BACKGROUND** COLOR: Yellow \* LEGEND/BORDER TYPE: COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D


PLOTTED: 7/14/2018

A B C D E F G H
30 .5 .75 5 1.875 13.75 10.625 1.875

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER 41-4218 2'-6" x 2'-6" SIGN PANEL TOTAL (Sq.fT.) 6.25 W2-5 BDR INSET/WIDTH 0.5" / 0.75" **CORNER RADIUS** 1.875" \* **BACKGROUND** TYPE: COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D


PLOTTED:7/14/2018

Н

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	41-4219			
SIGN PANEL	2'-6" x 2'-6"			
TOTAL (Sq.fT.)	6.25			
MUTCD	W2-3			
BDR INSET/WIDTH	0.5" / 0.75"			
CORNER RADIUS	1.875"			
BACKGROUND	TYPE: *			
	COLOR: Yellow			
LEGEND/BORDER	TYPE: *			
	COLOR: Black/Black			
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS				

\* SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D


PLOTTED:7/14/2018

В С D Е G Κ Α F Н J 8.313 5 12.5 1.25 3.75 1.875 30 .5 .75 .688

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	41-4220				
SIGN PANEL	2'-6" x 2'-6"				
TOTAL (Sq.fT.)	6.25				
MUTCD	W2-3				
BDR INSET/WIDTH	0.5" / 0.75"				
CORNER RADIUS	1.875"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR					

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D


PLOTTED:7/14/2018

A B C D E F G H J K 30 .5 .75 8.313 5 12.5 .688 1.25 3.75 1.875

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	41-4221				
PANEL SIZE	4'-0'' x 4'-0''				
SIGN AREA	16.0 Sq.Ft.				
MUTCD	W2-1				
BDR INSET/WIDTH	0.75" / 1.25"				
CORNER RADIUS	3"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	Х	Υ	WID	HT
W2_1A	360	12.4	12.4	40	39.9

Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Ground Mounted					
	LETTER POSITIONS (X)	NS (X) LENGTH SER			






Α	В	С	D	E	F	G	Н	J	K	L	М
48	24	.5	.75	19.5	6.5	1.875	6.5	7.5	13.188	1	1.625

SIGN NUMBER	414223 L or R			
SIGN PANEL	4'-0" x 2-0"			
TOTAL (Sq.fT.)	8.0			
MUTCD	W1-6			
BDR INSET/WIDTH	0.5" / 0.75"			
CORNER RADIUS	1.875"			
BACKGROUND	TYPE: *			
	COLOR: Fluor. Yellow			
LEGEND/BORDER	TYPE: *			
	COLOR: Black/Black			
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".				

REV'D

PLOTTED :





ARROWHEAD DETAIL N.T.S.


Dimensions are in inches.


Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A










SIGN NUMBER	41-4230						
SIGN PANEL	2'-6" x 2'-6"						
TOTAL (Sq.fT.)	6.25						
MUTCD	W2-3						
BDR INSET/WIDTH	0.5" / 0.75"						
CORNER RADIUS	1.875"						
BACKGROUND	TYPE: *						
	COLOR: Yellow						
LEGEND/BORDER	TYPE: *						
	COLOR: Black/Black						
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".							

PLOTTED:7/14/2018

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A




SIGN NUMBER	41-4233						
SIGN PANEL	2'-6" x 2'-6"						
TOTAL (Sq.fT.)	6.25						
MUTCD	W2-7R						
BDR INSET/WIDTH	0.5" / 0.75"						
CORNER RADIUS	1.875"						
BACKGROUND	TYPE: *						
	COLOR: Yellow						
LEGEND/BORDER	TYPE: *						
	COLOR: Black/Black						
	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".						

PLOTTED:7/16/2018

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted




SIGN NUMBER	41-4234					
SIGN PANEL	2'-6" x 2'-6"					
TOTAL (Sq.fT.)	6.25					
MUTCD	W2-7R					
BDR INSET/WIDTH	0.5" / 0.75"					
CORNER RADIUS	1.875"					
BACKGROUND	TYPE: *					
	COLOR: Yellow					
LEGEND/BORDER	TYPE: *					
	COLOR: Black/Black					
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".						


PLOTTED:7/16/2018


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted







SIGN NUMBER	414239
PANEL SIZE	8'-0" x 5'-6"
SIGN AREA	44.0 Sq.Ft.
MUTCD	R6-3
BDR INSET/WIDTH	0.625" / 1.25"
CORNER RADIUS	6"
BACKGROUND	TYPE: 🗶
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROT	Х	Υ	WID	HT
	M152CT	0	45.4	32.9	18	18
	M152CT	0	69.4	32.9	18	18
_						
$\dashv$						

REV'D

Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_


**Ground Mounted** 

Dimensions are in Inches

FILE :41-4239 8/13/2018


LETTER POSITIONS (X)													LENGT	TH SERIES/SIZE				
	Е	А	S	Т														C 2000
46.9	3.6	4.4	3.9	3.1	34.1												14.9	6
	N	0	R	Т	Н													C 2000
68.2	4.6	4.7	3.9	3.9	3.4	7.4											20.5	6
	М	I	L	L	Е	R		S	Т									C 2000
46.2	5.3	2.2	3.9	3.9	4.1	3.4	6	3.9	3.5	1	12.8						37	6





SIGN NUMBER	414249					
SIGN PANEL	2'-6" x 2'-6"					
TOTAL (Sq.fT.)	6.25					
MUTCD	W2-8R					
BDR INSET/WIDTH	0.5" / 0.75"					
CORNER RADIUS	1.875"					
BACKGROUND	TYPE: 🗶					
	COLOR: Yellow					
LEGEND/BORDER	TYPE: *					
	COLOR: Black/Black					
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".						

REV'D



SIGN NUMBER	414255					
SIGN PANEL	3'-0" x 3'-0"					
TOTAL (Sq.fT.)	9.0					
MUTCD	W2-4					
BDR INSET/WIDTH	0.625" / 0.875"					
CORNER RADIUS	2.25"					
BACKGROUND	TYPE: 🗶					
	COLOR: Yellow					
LEGEND/BORDER	TYPE: *					
	COLOR: Black/Black					
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".						

REV'D


PLOTTED: 1/20/18

A B C D E F G H 36 .625 .875 6 2.25 16.5 12.75 2.25

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A



Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	414260					
SIGN PANEL	3'-0" x 4'-0"					
TOTAL (Sq.fT.)	12.0					
MUTCD	W1-8					
BDR INSET/WIDTH	N/A					
CORNER RADIUS	2.25"					
BACKGROUND	TYPE: *					
	COLOR: Fluor. Yellow					
LEGEND/BORDER	TYPE: *					
	COLOR: Black/Black					
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".						


REV'D /

PLOTTED: 5/1/2018

Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A




SIGN NUMBER	414262 R or L				
SIGN PANEL	5'-0" x 2'-6"				
TOTAL (Sq.fT.)	12.5				
MUTCD	W1-6				
BDR INSET/WIDTH	0.625" / 0.875"				
CORNER RADIUS	2.25"				
BACKGROUND	TYPE: *				
	COLOR: Fluor. Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR					

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

# REV'D

PLOTTED: 6/25/2018




ARROWHEAD DETAIL N.T.S.

Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A




# TYPE 3 OBJECT MARKERS

Dimensions are in inches.

Material: .080 Thick Sheet Aluminum

Side Mounted Location: N/A





Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A


Α	В	С	D	Е	F	G	Н
36	.625	.875	2.938	4.25	13.5	12.75	2.25





Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A





SIGN NUMBER	414403			
SIGN PANEL	3'-0" x 3'-0"			
TOTAL (Sq.fT.)	9.0			
MUTCD	W5-2			
BDR INSET/WIDTH	0.625" / 0.875"			
CORNER RADIUS	2.25"			
BACKGROUND	TYPE: 🗶			
	COLOR: Yellow			
LEGEND/BORDER	TYPE: 🗶			
	COLOR: Black/Black			
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".				

REV'D


PLOTTED:


A B C D E F G H J 36 .625 .875 6D .75 3 15.688 13.063 2.25


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A







#### SIGN DETAIL



SIGN NUMBER	414416				
SIGN PANEL	3'-0" x 3'-0"				
TOTAL (Sq.fT.)	9.0				
MUTCD	W5-2				
BDR INSET/WIDTH	0.625" / 0.875"				
CORNER RADIUS	2.25"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".					
REV/'D	/				

REV'D


PLOTTED: 1/22/18

Α	В	С	D	Е	F	G	Н	J
36	.625	.875	6C	4	16	15.25	11.5	2.25

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A




SIGN NUMBER	41-4417			
PANEL SIZE	4'-0" x 7'-0"			
TOTAL (Sq.fT.)	28.0 Sq.Ft.			
DATE	Jan 13, 2016			
BDR INSET/WIDTH	0.75" /1.25"			
CORNER RADIUS	3"			
BACKGROUND	TYPE: *			
	COLOR: See Sign			
LEGEND/BORDER	TYPE: *			
	COLOR: See Sign			
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".				

SYMBOL	ROT	Х	Υ	WID	HT
HOV Diamon	d 0	14.3	43	7.4	15
AR_MERGE	0	10.4	7.5	17.2	29.4

REV'D /

Dimension are in Inches

Material: .125 Thick Sheet Aluminum



SIGN NUMBER	41-4419			
PANEL SIZE	3'-0" x 5'-0"			
TOTAL (Sq.fT.)	15.0 Sq.Ft.			
DATE	10/16/2020			
BDR INSET/WIDTH	0.625" / 0.875"			
CORNER RADIUS	2.25"			
BACKGROUND	TYPE: *			
	COLOR: See Sign			
LEGEND/BORDER	TYPE: *			
	COLOR: See Sign			
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".				

SYMBOL	ROT	Х	Υ	WID	НТ
HOV Diamon	d 0	14.3	43	7.4	15
AR_MERGE	0	10.4	7.5	17.2	29.4


REV'D /

W4-1R (MODIFIED)

Dimension are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: J.Massini Designed By: M.Cloutier Checked By:




\*

\*

Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A



SIGN NUMBER	414435
SIGN PANEL	4'-0" x 4-0"
TOTAL (Sq.fT.)	16.0
MUTCD	W4-3L
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

# REV'D

PLOTTED: 3/21/2018


Dimensions are in inches.

Material: .100 Thk. Sheet Aluminum

Side Mounted Location: N/A

Ρ 15.75 3 24 5.5 17

SIGN DETAIL 1.25



Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

2.3

6

Ν

5.5

G

5.4

Ν

5.5

D

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Н

5

Е

3.7

S

4.1

Т

3.7

14.6

14.6

13.5

**Ground Mounted** 

5.1

4.1

Е

4.7

13.5

14.6

14.6

REV'D

LETTER POSITIONS (X)

SIGN NUMBER	414440
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	W9-1R
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ


LENGTH

Mar 22, 2018

SERIES/SIZE

D 2000 21.5 6 D 2000 19.3 6 D 2000 19.3 6

FILE: 414440



SIGN NUMBER	41-4441			
SIGN PANEL	3'-0" x 3'-0"			
TOTAL (Sq.fT.)	9.0			
MUTCD	W4-2R			
BDR INSET/WIDTH	0.625" / 0.875"			
CORNER RADIUS	2.25"			
BACKGROUND	TYPE: *			
	COLOR: Yellow			
LEGEND/BORDER	TYPE: *			
	COLOR: Black/Black			
REFER TO CATALOG OF SIGNS FOR				

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED: 6/18/18


Dimensions are in inches.

Ma Sid

ateria	١:	.080	Thk.	Sheet	Alumi	num
de Mo	ur	nted				

Location: N/A
Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Α	В	С	D	E	F	G	Н	J	K	L
36	.625	.875	12	4	5	1	1.25	3	1.5	2.25



SIGN NUMBER	41-4442
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W4-2L
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

# REV'D

PLOTTED:6/18/18


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Α	В	С	D	E	F	G	Н	J	K	L
36	.625	.875	12	4	5	1	1.25	3	1.5	2.25





Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_

**Ground Mounted** 

REV'D /

SIGN NUMBER	414443
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	W9-1L
BDR INSET/WIDTH	0.625"/0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
. REFER TO CATAL	OG OF SIGNS FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	X	Υ	WID	HT

FILE: 414440

Mar 22, 2018

								I FTT	FR P	OSIT	TONS	5 (X)			LENGT	H SERIES/SIZE
										0311	1011	(//)				
	L	E	F	Т												D 2000
15.5	4.8	4.9	4.2	3.7	15.5										17.6	6
	L	Α	N	E												D 2000
14.6	4.1	6	5.5	3.7	14.6										19.3	6
	Е	N	D	S												D 2000
14.6	4.7	5.5	5	4.1	14.6										19.3	6

SIGN DETAIL 1:30



REV'D

414444 SIGN NUMBER 4'-0" x 4'-0" PANEL SIZE SIGN AREA 16.0 Sq.Ft. W9-1 MUTCD BDR INSET/WIDTH 0.75" / 1.25" **CORNER RADIUS** \* TYPE: BACKGROUND COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	X	Y	WID	HT

Dimensions are in Inches

Material: .100 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_


**Ground Mounted** 

FILE: 414444

6/19/2018

-														 . 71777		0/19/2010
								LETT	ER P	OSIT	IONS	5 (X)			LENGT	H SERIES/SIZE
	L	E	F	Т												D 2000
21	6.4	6.6	5.5	5	20.3										23.5	8
	L	Α	N	E												D 2000
19.8	5.4	8	7.4	5	19.2										25.8	8
	Е	N	D	S												D 2000
19.7	6.4	7.4	6.7	5.4	19.2										25.9	8





SIGN NUMBER	414446
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W4-2R
BDR INSET/WIDTH	.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
SYMBOL/BORDER	TYPE: 🗶
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR

SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	Х	Y	WID	HT
REV	'D	/			

FILE: 414446 Oct 18, 2017

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_ Ground Mounted



SIGN NUMBER	414446
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W4-2
BDR INSET/WIDTH	.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
SYMBOL/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	.OG OF SIGNS FOR

SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	Х	Υ	WID	HT				
REV'D /									

FILE: 41-4447 6/20/2018

Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_ Ground Mounted




SIGN NUMBER	414448
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W4-1L
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
. REFER TO CA	TALOG OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

## REV'D

PLOTTED: 6/20/18



ARROWHEAD DETAIL N.T.S.


Q	R	S	Т	U
5.25	6	10.625	.8125	1.0625

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A


Α	В	U	D	Е	F	G	Ι	J	K	L	М	N	Р
36	.625	.875	15.75	13.25	5.25	3.625	6.313	33.625	2.25	9.625	4	15.625	33.313




Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р
36	.625	.875	15.75	13.25	5.25	3.625	6.313	33.625	2.25	9.625	4	15.625	33.313






SIGN NUMBER	414453
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	W9-2R
BDR INSET/WIDTH	.625" / .875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

Jan 25, 2018

	LETTER POSITIONS (X)  LENGTH SERIES/SIZE																
	L	А	N	Е		Е	N	D	S								C 2000
9.2	2.8	3.8	3.7	2.5	4.1	3.2	3.7	3.4	2.8	9.2						30.1	5
	М	Е	R	G	Е												C 2000
15.5	4.4	3.4	3.5	3.8	2.6	15.5										17.6	5
	R	I	G	Н	Т												C 2000
16.7	3.6	1.7	3.8	3.5	2.6	16.7										15.1	5



SIGN DETAIL 1:30 ķÖ 24" LANE ENDS 6" 4.5" **MERGE** 6" 4.5" **RIGHT** 6" 13.8" 36.1" 14.35" 14.35",

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_

Ground Mounted

SIGN NUMBER	414455
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W9-2R
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: 🗶
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR


\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	Х	Υ	WID	НТ

FILE: 414455 Feb 03, 2018


	LETTER POSITIONS (X)  LENGTH SERIES/SIZE								H SERIES/SIZE								
	L	Α	N	Е		Е	N	D	S								C 2000
14.4	3.4	4.5	4.4	3.1	4.9	3.9	4.4	4.1	3.4	14.4						36.1	6
	М	Е	R	G	Е												C 2000
21.8	5.3	4.1	4.2	4.5	3.1	21.8										21.1	6
	R	I	G	Н	Т												C 2000
23.3	4.4	2	4.6	4.2	3.1	23.3										18.2	6

REV'D





SIGN DETAIL



Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_

**Ground Mounted** 

REV'D /

SIGN NUMBER	414464
PANEL SIZE	3'-6" x 2'-0"
SIGN AREA	7.0 Sq.Ft.
MUTCD	W4-5(CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
. REFER TO CATAL	.OG OF SIGNS FOR

\*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


	SYMBOL	ROT	Х	Y	WID	HT
_						

7/16/2018

FILE: 414464

LETTER POSITIONS (X)  LENGTH SERI													TH SERIES/SIZE				
	Е	N	Т	E	R	I	N	G									C 2000
8.2	3.4	3.5	3.3	3.4	3.7	1.8	3.8	2.8	8.2							25.6	5
	F	R	0	М		R	I	G	Н	Т							C 2000
3.9	3.2	3.5	4	3.3	5	3.7	1.7	3.8	3.5	2.6	3.9					34.3	5

SIGN DETAIL 1:15



Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_

**Ground Mounted** 

REV'D

SIGN NUMBER	414465
PANEL SIZE	3'-6" x 2'-0"
SIGN AREA	7.0 Sq.Ft.
MUTCD	W4-5(CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR


\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	Х	Υ	WID	HT

7/16/2018


FILE: 414465

	LETTER POSITIONS (X)  LENGTH SERIES/SIZE													TH SERIES/SIZE				
	E	N	Т	E	R	I	N	G										C 2000
8.2	3.4	3.5	3.3	3.4	3.7	1.8	3.8	2.8	8.2								25.6	5
	F	R	0	М		L	Е	F	Т									C 2000
5.5	3.3	3.5	4	3.3	5	3.3	3.4	2.9	2.6	5.5							31.1	5





### SIGN DETAIL



SIGN NUMBER	41-4474
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W4-6
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".

REV'D /

PLOTTED: 7/16/2018

DIMENSIONS ARE IN INCHES

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED


SIGN SUPPORT NO. N/A

LOCATION:N/A

ENGINEER: EB DESIGNED BY: JMF CHECKED BY:\_\_\_\_\_

Α	В	U	D	Е	F	G	Η	J
36	.625	.875	15.571	16.092	18.814	17.493	13.450	2.25

### SIGN DETAIL



SIGN NUMBER	41-4475
SIGN PANEL	16.0
EXIT CROWN	
TOTAL (Sq.fT.)	16.0
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: 🗶
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".
	1

REV'D

PLOTTED: 11/10/2014

DIMENSIONS ARE IN INCHES

MATERIAL: .100 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION:N/A

ENGINEER : EB DESIGNED BY : JMF CHECKED BY : SDE

Α	В	U	D	Е	F	G	Η	J
48	.75	1.25	20.735	21.456	25.139	23.297	17.933	3

SIGN DETAIL 1 40



REV'D 7/18

Revised layout to match MUTCD

MUTCD W9-7R BDR INSET/WIDTH | 0.75" / 1.25" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

41-4476

66.0 Sq.Ft.

11'-0" x 6'-0"

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Y	WID	HT
II .					

Engineer: B. Schilling / Designed By: J. Fascione / Checked By: **Ground Mounted** 

Dimensions are in Inches

Material: .125 Thick Sheet Aluminum


FILE: 41-4476 Jul 17, 2018


SIGN NUMBER

PANEL SIZE

SIGN AREA

											LETT	ER P	OSIT	IONS	5 (X)			LENGT	H SERIES/SIZE
	R	I	G	Н	Т		L	А	N	Е									EM 2000
11.6	12.2	5.3	12.6	11.9	8.9	12	9.6	14.3	13.1	8.9	11.6							108.8	12
	Е	Х	I	Т		0	N	L	Υ										EM 2000
17.6	10.6	13	4.6	8.9	12	13	13.1	9.6	12.1	17.6								96.8	12
	А	Н	Е	А	D														EM 2000
35.2	14.3	13.1	10.2	14.3	9.7	35.2												61.6	12





Material: .125 Thick Sheet Aluminum

Engineer: S.P. Designed By: JMF Checked By: JAM

Sign Support No. N/A Location: N/A

REV'D

PANEL SIZE 4'-0" x 7'-0" TOTAL (Sq.fT.) 28.0 Sq.Ft. MUTCD W4-1(CT) BDR INSET/WIDTH 0.75" / 1.25" CORNER RADIUS \* **BACKGROUND** TYPE: COLOR: See Sign \* TYPE: LEGEND/BORDER COLOR: See Sign REFER TO CATALOG OF SIGNS FOR

\*\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".


41-4478

SYMBOL	ROT	Х	Υ	WID	НТ
HOV Diamon	d 0	18.5	60	11	22
AR_MERGE	0	13.4	9.5	21.2	38

FILE: 41-4478

SIGN NUMBER

	TILL : 41-4470	
	LETTER POSITIONS (X)	LENGTH SERIES/SIZE



SIGN NUMBER	41-4479					
PANEL SIZE	3'-0" x 5'-0"					
TOTAL (Sq.fT.)	15.0 Sq.Ft.					
MUTCD	W4-1(CT)					
BDR INSET/WIDTH	0.625" / 0.875"					
CORNER RADIUS	2.25"					
BACKGROUND	TYPE: *					
	COLOR: See Sign					
LEGEND/BORDER	TYPE: *					
	COLOR: See Sign					
REFER TO CATALOG OF SIGNS FOR   K SHEETING TYPE.						

WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	Х	Υ	WID	HT
HOV Diamon	d 0	14.3	43	7.4	15
AR_MERGE	0	10.4	7.5	17.2	29.4

REV'D

Dimension are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: J.Massini Designed By: M.Cloutier Checked By:\_\_\_\_\_



SIGN NUMBER	41-4485
PANEL SIZE	4'-0" X 4'-0"
TOTAL (Sq.fT.)	16.0 Sq.Ft.
DATE	Jun 17, 2017
BDR INSET/WIDTH	.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
	TYPE: *
BORDER/ARROW	COLOR: Black/Black
DEEED TO CATAL	OC OF CICNC FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Χ	Y	WID	HT		
REV'D /							


FILE:414485.dgn

Sign Support No. N/A Location: N/A

Engineer: J. Massini Designed By: J. Fascione Checked By:\_ **Ground Mounted** 

Dimension are in Inches Material: .100 Thick Sheet Aluminum

Α	В	U	D	Ш	F	G	Ι	J	K
48	.75	1.25	20.735	21.456	25.139	23.297	17.933	3	4.5



SIGN NUMBER	41-4486
PANEL SIZE	3'-0" X 3'-0"
TOTAL (Sq.fT.)	9.0 Sq.Ft.
DATE	Jun 17, 2017
BDR INSET/WIDTH	.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
	TYPE: *
BORDER/ARROW	COLOR: Black/Black
DEEED TO CATAL	OC OF STONE FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Y	WID	HT		
REV'D /							

FILE: 41-4486


Dimension are in Inches


Sign Support No. N/A Location: N/A

Material: .100 Thick Sheet Aluminum	
Sian Support No. N/A	

Engineer: J. Massini Designed By: J. Fascione Checked By:
Ground Mounted

С В Ε G Н J Κ D Α 36 .625 15.571 16.092 18.814 17.493 13.45 2.25 4.5





SIGN NUMBER	41_4493				
PANEL SIZE	4'-0" x 4'-0"				
SIGN AREA	16.0 Sq.Ft.				
MUTCD	W5-1				
BDR INSET/WIDTH	.625" / 1.25"				
CORNER RADIUS	3"				
BACKGROUND	TYPE: *				
	COLOR: Yellow				
LEGEND/BORDER	TYPE: *				
	COLOR: Black/Black				
REFER TO CATALOG OF SIGNS FOR  * SHEETING TYPE.					

WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT


FILE: 414493 7/17/2017

Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_

Ground Mounted



SIGN DETAIL

Dimensions are in Inches

**Ground Mounted** 

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

41-4502 SIGN NUMBER 2'-6" x 2'-0" PANEL SIZE SIGN AREA 5.0 Sq.Ft. W7-3aP(CT) MUTCD BDR INSET/WIDTH 0.38" / 0.63" 1.5" **CORNER RADIUS** \* **BACKGROUND** TYPE: COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT
	0	14.1	20.3	2.4	2.4
	0	1.4	11.1	2.4	2.4
	0	26.3	11.1	2.4	2.4


8/13/2018


FILE: 41-4502


**REV'D 8/18** 


Revised sign size and layout.

										LETT	ER P	OSIT	IONS	5 (X)			LENGT	H SERIES/SIZI
	0		М	I	L	Е	S											C 2000
2.5	3.5	3	5.3	2.2	3.9	3.8	3.4	2.5									25	6
	Α	Н	Е	Α	D													C 2000
4.5	4.7	4.7	3.6	4.7	3.4	4.5											21	6









SIGN NUMBER	414509
SIGN PANEL	4'-0" X 4'-0"
TOTAL (Sq.fT.)	16.0
MUTCD	W7-1
BDR INSET/WIDTH	0.75 / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
. REFER TO CA	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

## **REV'D**

PLOTTED: 3/29/2018

PAGE 1 of 2

F

3

Е

12


Dimensions are in inches.


Material: .100 Thk. Sheet Aluminum


Side Mounted

Location: N/A

Engineer: B.Schilling / Designed By: J. Fascione / Checked By:








SIGN DETAIL 1:12

Dimensions are in Inches

**Ground Mounted** 

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:



REV'D


414512 SIGN NUMBER 1'-6" x 1'-6" PANEL SIZE SIGN AREA 1.5 Sq.Ft. MUTCD W8-3 BDR INSET/WIDTH 0.375" / 0.625" **CORNER RADIUS** 1.5" **BACKGROUND** TYPE: \* COLOR: Yellow LEGEND/BORDER TYPE: \* COLOR: Black/Black


REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".


	SYMBOL	ROT	Х	Υ	WID	HT
+						

FILE: 414512 Jan 31, 2018

	LETTER POSITIONS (X)  LENGTH															TH SERIES/SIZE			
	Р	А	٧	Е	М	Е	N	Т											C 2000
3.6	2	2.1	2.3	2	2.6	2	2.1	1.5	3.6									16.8	3
	Е	N	D	S															C 2000
7.9	2	2.3	2.1	1.7	7.9													8.1	3









SIGN NUMBER	414519
SIGN PANEL	2'-6" x 2'-6"
TOTAL (Sq.fT.)	6.25
MUTCD	W8-5
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".

REV'D /

PLOTTED: 8/21/2018


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer : B. Schilling / Designed By : J. Fascione / Checked By :

Α	В	С	D	Е	F	G
30	.5	.75	8	11	12.5	1.875



SIGN NUMBER	414520
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W8-5
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED:3/31/2018

PAGE 1 of 2


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Α	В	С	D	Е	F	G
36	.625	.875	9.5	13	14.813	2.25





SIGN NUMBER	414521
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.fT.)	16.0
MUTCD	W8-5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR PE. WHEN COLOR IS

\* SHEETING TYPE, WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED:3/31/2018

PAGE 1 of 2


Dimensions are in inches.


Material: .100 Thk. Sheet Aluminum


Side Mounted Location: N/A


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


Α	В	C	D	E	F	G
48	.75	1.25	12.625	17.275	19.75	3























SIGN DETAIL 1:10 2'-0" 4.25" **RAISED** 3.5" **CROSSWALK** 4.25"

19.1"

41-4535 SIGN NUMBER 2'-0" x 1'-6" PANEL SIZE SIGN AREA 3.0 Sq.Ft. MUTCD W17-1(CT) BDR INSET/WIDTH 0.38" / 0.63" 1.5" **CORNER RADIUS** \* **BACKGROUND** TYPE: COLOR: Fluor. Yel. Green \* TYPE: LEGEND/BORDER COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROT	Х	Υ	WID	HT
-						

8/15/2018

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

FILE: 41-4535

	LETTER POSITIONS (X)														LENGT	H SERIES/SIZE			
	R	Α	I	S	Е	D													C 2000
6.4	1.9	2.3	0.9	2.2	2	1.7	6.4											11.1	3
	С	R	0	S	S	W	Α	L	К										C 2000
2.5	2.3	2.1	2.2	2	2	2.5	2.3	2	1.7	2.5								19.1	3

REV'D

## SIGN DETAIL



Α	В	С	D	Е	F
24	.375	.625	3.625	4.657	1.5

	SIGN NUMBER	414541		
	PANEL SIZE	1"-6" x 1'-6"		
	SIGN AREA	2.25 sq.ft.		
	MUTCD	W8-10		
	BDR INSET/WIDTH	.375" / .625"		
	CORNER RADIUS	1.5"		
	BACKGROUND	TYPE: *		
		COLOR: Yellow		
	LEGEND/BORDER/	TYPE: ≭		
	SYMBOL	COLOR:Black/Black/Black		
	** REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".			

SYMBOL	ROT	Х	Υ	WID	НТ

FILE:414541

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum
Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted

## SIGN DETAIL



Α	В	С	D	Е	F
30	.5	.75	6.041	7.76125	1.875

D 15°
A
F

SIGN NUMBER	414542	
PANEL SIZE	2'-6" x 2'-6"	
SIGN AREA	6.25 sq.ft.	
MUTCD	W8-10	
BDR INSET/WIDTH	.625" / .875"	
CORNER RADIUS	2.25"	
BACKGROUND	TYPE: *	
	COLOR: Yellow	
LEGEND/BORDER	TYPE: *	
	COLOR: Black/Black	
REFER TO CATALOG OF SIGNS FOR		

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ


FILE: 414542


Dimensions are in Inches


Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted







SIGN NUMBER	414551	
SIGN PANEL	4'-0" x 4-0"	
TOTAL (Sq.fT.)	16.0	
MUTCD	W7-1b	
BDR INSET/WIDTH	0.75" / 1.25"	
CORNER RADIUS	3"	
BACKGROUND	TYPE: *	
	COLOR: Yellow	
LEGEND/BORDER	TYPE: *	
	COLOR: Black/Black	
. REFER TO CATALOG OF SIGNS FOR		

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

## REV'D


PLOTTED: 4/6/2018


PAGE 1 of 2


(V) Variable Numeral G Н F J 14.5 8D 20 3 Dimensions are in inches.

Side Mounted Location: N/A

Engineer: B.Schilling / Designed By: J. Fascione / Checked By:








Р	Q	R	S	Т
5.25	6	1.0625	10.625	.8125

SIGN NUMBER	414557							
SIGN PANEL	3'-0" x 3'-0"							
TOTAL (Sq.fT.)	9.0							
MUTCD	W1-10d							
BDR INSET/WIDTH	0.625" / 0.875"							
CORNER RADIUS	2.25"							
BACKGROUND	TYPE: *							
	COLOR: Yellow							
LEGEND/BORDER	TYPE: *							
	COLOR: Black/Black							
. REFER TO CATALOG OF SIGNS FOR								

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED: 7/7/2018




ARROWHEAD DETAIL N.T.S.

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:



Α	В	С	D	E	F	G	Н	J	K	L	М	N	0
36	.625	.875	17.438	4.219	5.25	1.25	3.625	4.5	12.70	9.52	2.25	8	3

Р	Q	R	S	Т	
5.25	6	1.0625	10.625	.8125	

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

SIGN NUMBER	414558								
SIGN PANEL	3'-0" x 3'-0"								
TOTAL (Sq.fT.)	9.0								
MUTCD	W1-10d								
BDR INSET/WIDTH	0.625" / 0.875"								
CORNER RADIUS	2.25"								
BACKGROUND	TYPE: *								
	COLOR: Yellow								
LEGEND/BORDER	TYPE: *								
	COLOR: Black/Black								
REFER TO CA	DEFED TO CATALOG OF SIGNS FOR								


\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

REV'D

PLOTTED: 7/7/2018




ARROWHEAD DETAIL N.T.S.



SIGN NUMBER	414559							
SIGN PANEL	3'-0" x 3'-0"							
TOTAL (Sq.fT.)	9.0							
MUTCD	W1-10d							
BDR INSET/WIDTH	0.625" / 0.875"							
CORNER RADIUS	2.25"							
BACKGROUND	TYPE: *							
	COLOR: Yellow							
LEGEND/BORDER	TYPE: 🗶							
	COLOR: Black/Black							
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BI ACK TYPE IS "PI AIN"								

REV'D	/	



ARROWHEAD DETAIL N.T.S.

Α	В	С	D	Е	F	G	Н	J	K	L	М	N	0
36	.625	.875	17.438	4.219	5.25	1.25	3.625	4.5	12.70	9.52	R=2.25	8	3


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted

Location: N/A Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Р	Q	R	S	Т	
5.25	6	1.0625	10.625	.8125	




SIGN NUMBER	414561
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-10d
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

## REV'D /

PLOTTED: 7/7/2018



ARROWHEAD DETAIL N.T.S.


Р	Q	R	S	Т		
5.25	6	1.0625	10.625	.8125		


Dimensions are in inches.


Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:









HT

30

LETTER POSITIONS (X)  LENGTH S												TH SERIES/SIZE				
	R	U	N	Α	W	А	Υ									D 2000
8.4	8.2	8.8	8.1	9	9.4	9	8.6	8.4							61.2	10
	Т	R	U	С	K											D 2000
8.4	7.7	8.5	8.9	8.9	7	28.6									41	10
	R	А	М	Р												D 2000
8.4	7.6	10	10.2	6.8	35.1										34.5	10



68.6"

6'-6" x 4'-0" PANEL SIZE SIGN AREA 26.0 Sq.Ft. MUTCD W7-4(CT) BDR INSET/WIDTH 0.75" / 1.25" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: FL.Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

41-4596

	SYMBOL	ROT	Х	Υ	WID	HT
_						
_						

Dimensions are in Inches

Material: .125 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


Ground Mounted


EILE : 41-4506


SIGN NUMBER


or ourid	Mount															FILE	: 41-459	96		
										LETT	ER P	OSIT	IONS	5 (X)				L	.ENGT	H SERIES/SIZE
R	U	N	А	W	А	Υ														D 2000
14.1	20.9	28.2	34.9	42.2	49.8	57													49.8	8
Т	R	U	С	К		R	Α	М	Р											D 2000
4.7	10.8	17.6	24.8	32	37.6	45.6	51.7	59.7	67.9										68.6	8
1	0	0	0		F	Т														D 2000
17.8	21.6	28.8	36.1	41.8	49.8	55.2													42.4	8
	·	·																		


**REV'D** 























SIGN NUMBER	414642
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W2-6
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: 🗶
	COLOR: Black/Black
REFER TO CA  ** SHEETING TY BLACK TYPE I	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".

REV'D /

PLOTTED : \$DATE\$

Α	В	С	D	Е	F	G	Η	J	K	L
36	.625	.875	12.569	16.172	12.569	16.292	9.043	9.27	3.526	2.25


Dimensions are in inches.


Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


Page 1 of 2





















Dimensions are in Inches

Ground Mounted

Material: .080 Thk. Sheet Aluminum

1:4




\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

41-4669 A	aug 18, 2018
SIGN NUMBER	41-4669
PANEL SIZE	0'-3" x 1'-0"
SIGN AREA	0.3 Sq.Ft.
MUTCD	W8 (CT)
BDR INSET / WIDTH	0" / 0"
CORNER RADIUS	1"
BACKGROUND	TYPE: 🗶
	COLOR: Orange
LEGEND/BORDER	TYPE: 🗶
	COLOR: Black/Orange

SYMBOL	ROT	Х	Υ	WID	HT
HOLE FOR SCREW	0	1.5	10.5	0.3	0.3
HOLE FOR SCREW	0	1.5	1.5	0.3	0.3

																	LETT	ER P	OSITI	ONS (	X)					LENGT	TH SERIES/SIZE
	С	0	М	М	U	N	I	С	Α	Т	I	0	N														B 2000
0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.1												2.7	0.4
	С	Т		D	0	Т																					B 2000
0.9	0.2	0.1	0.4	0.2	0.2	0.1	0.9																			1.3	0.4
	В	U	R	I	E	D		В	Е	L	0	w															B 2000
0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.2													2.6	0.4
	С	0	N	D	U	I	Т																				В 2000
0.8	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.8																		1.4	0.4
	С	Α	L	L		В	E	F	0	R	E																B 2000
0.3	0.2	0.3	0.2	0.1	0.4	0.2	0.2	0.2	0.2	0.2	0.1	0.3														2.4	0.4
	Y	0	U		D	I	G																				B 2000
0.7	0.2	0.2	0.2	0.4	0.2	0.1	0.2	0.7																		1.5	0.4
	9	2	2	-	4	4	5	5																			B 2000
0.7	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.7																	1	0.4
	1	-	8	0																						_	B 2000
1.1	0.1	0.1	0.2	0.2	0.2	1.1									<u> </u>											0.9	0.4
																											_
																											-
																											-

SIGN DETAIL 1:10



REV'D

414670 SIGN NUMBER 2'-0" x 1'-6" PANEL SIZE SIGN AREA 3.0 Sq.Ft. MUTCD W16-12P BDR INSET/WIDTH 0.38" / 0.63" CORNER RADIUS 1.5" \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black REFER TO CATALOG OF SIGNS FOR

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROT	Х	Υ	WID	HT
-						

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted

FILE :414670

Jan 27, 2018

-																	111107		Juli 27, 2010
									l	_ETTI	ER P	OSIT	IONS	S (X)	)			LENGT	H SERIES/SIZE
	Т	R	Α	F	F	I	С												D 2000
2.4	2.9	2.9	3.7	2.9	2.9	1.4	2.6	2.4										19.2	3.8
	С	I	R	С	L	Е													D 2000
3.7	3.4	1.5	3.1	3.4	2.9	2.4	3.7											16.5	3.8



SIGN NUMBER	414672
PANEL SIZE	2'-6" x 2'-6"
SIGN AREA	6.25 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	.5" / .75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CATAL	OC OF CICNC FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ


FILE: 414672 Oct 20, 2017


Dimensions are in Inches
Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_


Ground Mounted


Α	В	С	D	Е	F	G	Н	J	K
30	.5	.75	10.487	13.490	10.487	13.570	7.549	7.725	2.938
L	М	Ν	0	Р	Q	R	S	Т	C
1.875	10	2.71	6.06	7.4	5.4	6.534	1.94	2.18	8.80














SIGN NUMBER	41-4706							
SIGN PANEL	3' <b>-</b> 0" x 3'-0"							
TOTAL (Sq.fT.)	9.0							
MUTCD	W12-2							
BDR INSET/WIDTH	0.625" / 0.875"							
CORNER RADIUS	2.25"							
BACKGROUND	TYPE: *							
	COLOR: Yellow							
LEGEND/BORDER	TYPE: *							
	COLOR: Black/Black							
	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".							

REV'D

PLOTTED: 6/26/2018


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Α	В	С	D	Е	F	G	Н	J
36	.625	.875	6.875	8	4.25	1	3	2
K	L	М	N	Р	Q	R	S	
2.25	1.875	1.25	.5	2.75	4	6	12D	



SIGN NUMBER	41-4708
SIGN PANEL	4'-0" x 4'-0"
TOTAL (Sq.fT.)	16.0
MUTCD	W12-2
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

16D

## REV'D

PLOTTED: 6/26/2018

Dimensions are in inches.


Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


Α	В	С	D	Е	F	G	Н	J
48	.75	1.25	9.188	10.625	5.875	1.313	4	2.625
K	1	М	N	Р	0	R	S	


2.438 1.625 .625 3.625 5.58











Dimensions are in Inches

**Ground Mounted** 

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_



REV'D 2/21

Revised sign from 36" x 30"
to 30" x 24".


SIGN NUMBER	414730
PANEL SIZE	2'-6" x 2'-0"
SIGN AREA	5.0 Sq.Ft.
MUTCD	
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CATAL	OC OF STONE FOR

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Y	WID	HT

Jan 27, 2018

	LETTER POSITIONS (X)												LENGT	H SERIES/SIZE				
	R	Α	М	Р														D 2000
4.6	4.6	6	6.1	4.1	4.6												20.8	6
	L	Α	N	Е														D 2000
5.3	4.1	6	5.5	3.7	5.3												19.3	6



Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

**Ground Mounted** 

REV'D 8/18

Revised font from 6"D to 6"C and revised panel size to 42" x 18".

SIGN NUMBER	41-4731
PANEL SIZE	3'-6" x 1'-6"
SIGN AREA	5.3 Sq.Ft.
MUTCD	W16-4P(CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black


\*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT
					·

FILE: 41-4731

Aug 20, 2018

													TH SERIES/SIZE					
	S	Н	0	U	L	D	Е	R										C 2000
3.9	4.4	4.6	4.7	4.7	3.9	4.6	4.1	3.4	3.9								34.3	6



Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

**Ground Mounted** 

REV'D 2/21

Revised sign from 30" x 12"
to 30" x 18".


SIGN NUMBER	414732
PANEL SIZE	2'-6" x 1'-6"
SIGN AREA	3.8 Sq.Ft.
MUTCD	W16-4P(CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR

\*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


	SYMBOL	ROT	Х	Y	MID	HI
_						

Jan 27, 2018

	LETTER POSITIONS (X)															LENGT	H SERIES/SIZE			
	R	А	М	Р																D 2000
4.6	4.6	6	6.1	4.1	4.6														20.8	6







Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_


REV'D 8/18
Revised Background color to Yellow.

SIGN NUMBER	41-4766
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	W12-2a(CT)
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

Ground	Mount	ed															FILE	:41-47	66	Aug 20, 2018
											LETT	ER P	OSIT	IONS	(X)				LENG	TH SERIES/SIZE
	٧	E	Н	I	С	L	Е													C 2000
15.3	3	2.7	3.1	1.4	3	2.6	2	15.3											17.9	4
	0	V	Е	R		н	Е	I	G	Н	Т									C 2000
9.3	2.8	3	2.7	2.2	4	3.1	2.7	1.4	3	2.8	2	9.3							29.9	4
	W	Н	Е	N																C 2000
18.4	3.6	3.1	2.7	2.2	18.5														11.7	4
	F	L	Α	S	Н	I	N	G												C 2000
14	2.6	2.3	2.9	2.9	3.1	1.4	3	2.2	14										20.6	4







Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


**Ground Mounted** 


**REV'D 8/20** Revised background color from Fluor Yellow to Yellow. FILE: 414768

41-4768 SIGN NUMBER 4'-0" x 4'-0" PANEL SIZE SIGN AREA 16.0 Sq.Ft. W12-2a(CT) MUTCD BDR INSET/WIDTH 0.75" / 1.25" **CORNER RADIUS** \* **BACKGROUND** TYPE: COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	НТ
FILE:414768			Feb	03, 20	)18

											LETT	ER P	OSIT	IONS	5 (X)		LENGT	TH SERIES/SIZE
	V	E	Н	I	С	L	Е											B 2000
21.5	3.7	3.2	3.9	1.9	3.7	3.1	2.3	21.5									21.8	6
	0	V	Е	R		Н	Е	I	G	Н	Т							B 2000
13.7	3.4	3.7	3.2	2.6	6	3.9	3.2	1.9	3.7	3.4	2.3	13.8					37.4	6
	W	Н	Е	N														В 2000
25.2	4.7	3.9	3.2	2.6	25.2												14.4	6
	F	L	А	S	Н	I	N	G										B 2000
19.8	3.1	2.6	3.7	3.5	3.9	2.1	3.7	2.6	19.8								25.3	6





Note: For use on local roads only-state roads use sign #41-4829. 2'-6" x 2'-6" PANEL SIZE 1:17 SIGN AREA 6.25 Sq.Ft. W11-2 MUTCD BDR INSET/WIDTH 0.5" / 0.75" 1.875" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: FL.Yellow \* TYPE: LEGEND/BORDER 25" COLOR: Black/Black \*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN". **SYMBOL** ROT Χ Υ WID HT Pedestrian 0 13.6 7.7 13.3 25 7.7" 13.6" 13.3" 13.6" REV'D 5/18 Dimensions are in Inches Revised color from Yellow to Fluor. Yellow. Material: .080 Thick Sheet Aluminum Engineer: K. Lussier / Designed By: J. Fascione / Checked By: **Ground Mounted** FILE: 41-4810 May 25, 2018 LETTER POSITIONS (X) LENGTH SERIES/SIZE

SIGN DETAIL


41-4810


SIGN NUMBER

Note: For use on local roads only-state roads use sign #41-4830 SIGN DETAIL 3'-0" x 3'-0" PANEL SIZE 1:22 SIGN AREA 9.0 Sq.Ft. W11-2 MUTCD BDR INSET/WIDTH 0.625" / 0.875" 9.3" 2.25" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: FL.Yellow \* TYPE: LEGEND/BORDER 30" COLOR: Black/Black \*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN". **SYMBOL** ROT Χ Υ WID HT 9.3" Pedestrian 0 16.3 9.3 15.9 30 16.3" 15.9" 16.3" REV'D 5/18
Revised color from Yellow to Fluor. Yellow. Dimensions are in Inches Material: .080 Thick Sheet Aluminum Engineer: K. Lussier / Designed By: J. Fascione / Checked By: **Ground Mounted** FILE: 41-4811 May 25, 2018 LETTER POSITIONS (X) LENGTH SERIES/SIZE

41-4811

SIGN NUMBER







SIGN NUMBER	414827
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	W11-15
BDR INSET/WIDTH	0.875" / 0.625"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: FL.Yellow Green
SYMBOL/BORDER	TYPE: *
	COLOR: Black/Black
■★ SHEETING TYPE	OG OF SIGNS FOR BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT
Bicycle	0	13.1	27.9	22.3	12.9
Pedestrian	0	19.5	7.7	9.6	18

FILE: 414827

Apr 16, 2018

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_



Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted

SIGN NUMBER	414828									
PANEL SIZE	2'-6" x 2'-6"									
SIGN AREA	6.25 Sq.Ft.									
MUTCD	W11-15									
BDR INSET/WIDTH	0.5" / 0.75"									
CORNER RADIUS	1.875"									
BACKGROUND	TYPE: *									
	COLOR: FL.Yellow Green									
SYMBOL/BORDER	TYPE: *									
	COLOR: Black/Black									
REFER TO CATAL  SHEETING TYPE WHEN COLOR IS	REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".									

SYMBOL	ROT	Х	Υ	WID	HT
Bicycle	0	10.8	22	18.8	10.9
Pedestrian	0	16.3	5.2	8	15

FILE: 414828

Apr 16, 2018



SIGN NUMBER	414829
PANEL SIZE	2'-6" x 2'-6"
SIGN AREA	6.25 Sq.Ft.
MUTCD	W11-2
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: FL.Yellow Green
SYMBOL/BORDER	TYPE: *
	COLOR: Black/Black
★ SHEETING TYPE	OG OF SIGNS FOR BLACK TYPE IS "PLAIN"

SYMBOL	ROT	Х	Υ	WID	НТ
Pedestrian	0	13.5	8.7	13.3	25


FILE: 414829

Apr 16, 2018

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_



SIGN NUMBER	414830
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq.Ft.
MUTCD	W11-2
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: 🗶
D, CONCOND	' ' ' <b>'</b>
B. C.	COLOR: FL.Yellow Green
SYMBOL/BORDER	-
	COLOR: FL.Yellow Green

SYMBOL	ROT	Х	Υ	WID	HT
Pedestrian	0	13.5	8.7	13.3	25

FILE:414830

Apr 16, 2018

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Note:
For use on local roads only - state roads use sign #41-4827.



SIGN NUMBER	41-4831
PANEL SIZE	3'-0" x 3'-0"
SIGN AREA	9.0 Sq. Ft.
MUTCD	W11-15
BDR INSET/WIDTH	0.625/0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Fluor. Yellow
SYMBOL/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT
Bicycle	0	13.1	27.9	22.3	12.9
Pedestrain	0	19.5	7.7	9.6	18


FILE: 414831

May 29, 2018

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: K. Lussier / Designed By: J. Fascione / Checked By:\_\_\_\_\_



SIGN NUMBER	414832
PANEL SIZE	2'-6" x 2'-6"
SIGN AREA	6.25 Sq.Ft.
MUTCD	W11-15
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.875"
BACKGROUND	TYPE: *
	COLOR: FLuor.Yellow
SYMBOL/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL  * SHEETING TYPE WHEN COLOR IS	OG OF SIGNS FOR BLACK TYPE IS "PLAIN"

SYMBOL	ROT	Х	Υ	WID	HT
Bicycle	0	10.8	22	18.8	10.9
Pedestrian	0	16.3	5.2	8	15


FILE:414832

May 29, 2018

Dimensions are in Inches


Material: .080 Thick Sheet Aluminum

Engineer: K. Lussier / Designed By: J. Fascione / Checked By:\_\_\_\_\_





FULL SCALE 30" x 30" PAGE 2 of 2





Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

**REV'D 8/18** Revised background color from Yellow to Fluor Yellow Green.

2'-0" x 1'-6" PANEL SIZE SIGN AREA 3.0 Sq.Ft. MUTCD W11-15P BDR INSET/WIDTH 0.38" / 0.63" 1.5" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: FL.Yellow Green \* TYPE: LEGEND/BORDER COLOR: Black/Black \*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


41 4839


SIGN NUMBER


SYMBOL	ROT	Х	Y	WID	HT

FILE: 41-4839 Aug 23, 2018

	LETTER POSITIONS (X)															LENGT	TH SERIES/SIZE			
	Т	R	Α	I	L															E 2000
3.6	3.7	3.7	4.8	1.8	3	3.6													16.9	4
	Х	ı	I	N	G															E 2000
4.5	3.9	2	1.8	4.2	3.2	4.5													15.1	4









BACKGROUND

TYPE: 
COLOR: FL.Yellow Green

LEGEND/BORDER

TYPE: 
COLOR: Black/Black

REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

1.5"

BDR INSET/WIDTH 0.38" / 0.44"

41-4849

2.0 Sq.Ft.

2'-0" x 1'-0"

SIGN NUMBER

**CORNER RADIUS** 

PANEL SIZE

SIGN AREA

MUTCD

SYMBOL ROT X Y WID HT

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_


**Ground Mounted** 


FILE : 41-4849 Jul 02, 2018

	LETTER POSITIONS (X)														LENGT	TH SERIES/SIZE			
	I	N		L	А	N	Е												C 2000
2	1.4	2.8	3.3	2.7	3.7	3.5	2.6	2										20	5

REV'D







Α	В	С	D	Е	F	G	Н	J	K	L	М	N	0
36	.625	.875	17.438	4.219	5.25	1.25	3.625	4.5	12.469	1.656	2.25	8	3

DOT ARROWHEAD D-23 SYMBOLS ARE SOLID

**DIMENSIONS ARE IN INCHES** 

MATERIAL: .080 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION: N/A


ENGINEER : A. Brito DESIGNED BY : J. Fascione CHECKED BY : <u>JPO</u>

Р	Q	R	S	Т	
5.25	6	1.0625	10.625	.8125	


SIGN NUMBER	41_4947			
SIGN PANEL	9.0			
EXIT CROWN				
TOTAL (Sq.fT.)	9.0			
BDR INSET/WIDTH	.625/.875			
CORNER RADIUS	2.25			
BACKGROUND	TYPE: *			
	COLOR: Yellow			
LEGEND/BORDER	TYPE: *			
	COLOR: Black/Black			
DEFED TO CATALOG OF CICNG FOR				

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".


SYMBOL	ROT	Х	Υ	WID	HT



\$DATE\$



ARROWHEAD DETAIL N.T.S.




Α	В	С	D	Е	F	G	Н	J	K	L	М	N	0
36	.625	.875	17.438	4.219	5.25	1.25	3.625	4.5	12.469	1.656	2.25	8	3

SIGN NUMBER	414949
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W1-10e
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
DEEED TO CA	TALOC OF CICNC FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

# REV'D

PLOTTED: 7/7/2018



ARROWHEAD DETAIL N.T.S.


	Р	Q	R	S	Т
5	.25	6	1.0625	10.625	.8125

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:



HT


5.123

Dimension are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: J. Grasso Designed By: J. Fascione Checked By:\_\_\_

**Ground Mounted** 



SIGN NUMBER	41-5001			
SIGN PANEL	0'-4" x 4'-0"			
TOTAL (Sq.fT.)	1.332			
MUTCD	RS			
BDR INSET/WIDTH	N/A			
CORNER RADIUS				
BACKGROUND	TYPE: *			
	COLOR: Fluor. Yellow			
LEGEND/BORDER	TYPE: *			
	COLOR: Black/Black			
REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".				
REV'D	/			

PLOTTED: 6/26/2018


TYPE 2 OBJECT MARKER

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:



4"

TYPF 2	ORIFCT	<b>MARKER</b>
	ODJECI	INAUVED

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum


Side Mounted Location: N/A


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


SIGN NUMBER	41-5002
SIGN PANEL	0'-4" x 4'-0"
TOTAL (Sq.fT.)	1.332
MUTCD	RS
BDR INSET/WIDTH	N/A
CORNER RADIUS	
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR 'PE. WHEN COLOR IS IS "PI AIN".

REV'D /


PLOTTED: 6/26/2018







SIGN DETAIL			SIGN NUMBER		1-50			
1:20	0'-4"		PANEL SIZE			4'-0"		
			SIGN AREA		.3 Sq.			
	<b>T</b>		MUTCD			(CT)	)	
			BDR INSET/W	IDTH 0	" / 0"			
			CORNER RADI	US 0	11			
			BACKGROUND	) Т	YPE:	*	<	
				С	OLOR	: FL.\	Yellow	Gree
			LEGEND/BORD	DER T	YPE:	*	<	
				С	OLOR	.: N/A	١	
	',4		REFER TO C SHEETING WHEN COLO	CATALO TYPE. OR IS B	G OF S	SIGNS	FOR IS "PL	AIN"
			SYMBOL	ROT	X	Υ	WID	НТ
	<u> </u>	REV'D /						
Dimensions are in Inches Material: .080 Thick Sheet Aluminum		KEVU /						
Engineer: B. Schilling / Designed By: J. Fascione	/ Checked By:							
Ground Mounted			FILE: 41-5012			Oct	06, 20	)18
	LETTE	ER POSITIONS (X)		LEN	IGTH	SI	ERIES,	/SIZI
				1				



SIGN NUMBER	41-5502
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W3-5
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA	TALOG OF SIGNS FOR

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN". REV'D

PLOTTED: 8/24/2018



Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:




BACKGROUND : White Type IV LEGEND/BORDER : Black Type Plain


A	Ь	C			Г	G	П	J	K
48	.75	1.25	11.75	18	10.75	19.25	12	12	3
L	М	N	Р	Q	R	S	Т	U	V
2.25	4E	1.25	15C	9.327	7.279	9.258	.375	.625	3

	,
SIGN NUMBER	415503
PANEL SIZE	4'-0" x 4'-0"
SIGN AREA	16.0 Sq.Ft.
MUTCD	W3-5
BDR INSET/WIDTH	0.75" / 1.25"
CORNER RADIUS	3"
BACKGROUND	TYPE: 🗶
	COLOR: Yellow
LEGEND/BORDER	TYPE: 🗶
	COLOR: Black/Black
★ SHEETING TYP	LOG OF SIGNS FOR E. S BLACK TYPE IS "PLAIN"

SYMBOL	ROT	Х	Υ	WID	НТ

FILE :415503 Oct 14, 2017





Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted



SIGN AREA 30.0 Sq.Ft. W19-5 MUTCD BDR INSET/WIDTH 0.75" / 1.25" **CORNER RADIUS** \* **BACKGROUND** TYPE: COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

41-5554

7'-6" x 4'-0"

	SYMBOL	ROT	Х	Υ	WID	HT
-						

Dimensions are in Inches

SIGN DETAIL

1:30

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 


FILE: 41-5554


SIGN NUMBER

PANEL SIZE

8/24/2018

_																	. 71 33		0/24/2010
											LETT	ER P	OSIT	IONS	5 (X)			LENGT	H SERIES/SIZE
	Α	L	L		Т	R	Α	F	F	I	С								D 2000
6.6	9	6.9	5.6	9	6.9	6.8	9	6.9	6.9	3.4	6.1	6.6						76.7	9
	М	U	S	Т		Е	Х	I	Т										D 2000
14.6	9.2	7.7	6.8	5.6	9	6.5	7.7	2.8	5.6	14.6								60.8	9





E Equal Spacing

V Variable Legend

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_

Ground Mounted

REV'D /


SIGN NUMBER	41-5566
PANEL SIZE	1'-6" x 1'-6"
SIGN AREA	2.3 Sq.Ft.
MUTCD	W13-1P
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR

\*\*REFER TO CATALOG OF SIGNS FOR SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

FILE: 41-5566 9/25/2018

								LETT	ER P	OSIT	IONS	5 (X)			LENGT	H SERIES/SIZE
	0	0														E 2000
1.5	8.3	6.7	1.5												15	8
	М	Р	Н													E 2000
4.3	3.9	3.1	2.4	4.3											9.4	3



\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN". **SYMBOL** ROT Х Υ WID HT REV'D

FILE: 415567

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER

**BACKGROUND** 

PANEL SIZE

SIGN AREA

MUTCD

415567

4.0 Sq.Ft.

1.5"

TYPE:

TYPE:

LENGTH

BDR INSET/WIDTH 0.38" / 0.63"

W13-1P

COLOR: Yellow

\*

\*

Jan 17, 2018

SERIES/SIZE

COLOR: Black/Black

2'-0" x 2'-0"

(V) Variable Legend

Dimensions are in Inches


Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


**Ground Mounted** 

	0	0										E 2000
2.6	10.4	8.4	2.6								18.8	10
	М	Р	Н									E 2000
5.7	5.2	4.2	3.2	5.7							12.6	4

LETTER POSITIONS (X)







(E) Equal Spacing

 $oxed{\mathsf{V}}$  Variable Legend

Dimensions are in Inches Material: .100 Thick Sheet Aluminum

Engineer: A. Brito / Designed By: J. Fascione / Checked By:

Ground Mounted

REV'D 6/18

Revised panel color from Fluor Yellow to Yellow.


415581 SIGN NUMBER 3'-0" x 4'-0" PANEL SIZE SIGN AREA 12.0 Sq.Ft. W13-3 MUTCD BDR INSET/WIDTH 0.63" / 0.88" 2.25" **CORNER RADIUS** \* **BACKGROUND** TYPE: COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	X	Υ	WID	HT

FILE: 415581 June 5.2018

								LETT	ER P	OSIT	IONS	5 (X)			LENGT	H SERIES/SIZE
	R	Α	М	Р												E 2000
5.4	5.6	7.3	7.4	4.9	5.4										25.1	6
	0	0														E 2000
6.7	12.5	10.1	6.7												22.6	12
	М	Р	н													E 2000
10.9	6.1	4.8	3.2	10.9											14.1	4



F

6E

G

2.5

Н

Κ

2.25

L

10E

Μ

2.75

Ν

41-5584
18.0
18.0
0.625" / 0.875"
2.25"
TYPE: *
COLOR: Yellow
TYPE: *
COLOR: Black/Black

Q

4.5E 3.094 12.367

AA

VAR

BB

7.698

(V) VARIABLE LEGEND

**DIMENSIONS ARE IN INCHES** 

MATERIAL: .100 THK.SHEET ALUMINUM

SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION:N/A

ENGINEER: JAM DESIGNED BY: MJC CHECKED BY:\_\_\_\_\_

Å₽

Α

36

В


72

D

.875

Е

3.5



SIGN NUMBER	41-5585 R
SIGN PANEL	15.0
MUTCD	W13-7CT
TOTAL (Sq.fT.)	15.0
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA SHEETING TY BLACK TYPE	TALOG OF SIGNS FOR YPE. WHEN COLOR IS IS "PLAIN".
REV'D	1
KEV D	/

PLOTTED: 9/25/2018

V VARIABLE LEGEND (SPEED LIMIT)

SYMBOLS ARE SOLID

DIMENSIONS ARE IN INCHES
MATERIAL: .100 THK.SHEET ALUMINUM

SIDE MOUNTED


SIGN SUPPORT NO. N/A


LOCATION:N/A

ENGINEER : JAG DESIGNED BY : GMF CHECKED BY :\_\_

	Α	В	C	D	E	F	G	Н	I	J
	36	60	3	6E	2.5	0.875	2	22.531	2.25	10E
•				•	•	•				

K	L	М	N	Р	Q	R	S	Т	U
2.75	4.5E	8.682	9.681	11.386	VAR	7.7	8.5	3.875	10.5





41-5588 SIGN NUMBER 6'-0" x 4'-6" PANEL SIZE SIGN AREA 27.0 Sq.Ft. MUTCD W3-5a(CT) BDR INSET/WIDTH 0.75" / 1.25" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

Dimensions are in Inches

Material: .125 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

FILE: 41-5588 Aug 24, 2018

											LETT	ER P	OSIT	IONS	5 (X)			LENGT	TH SERIES/SIZE
	R	Е	D	U	С	Е		S	Р	Е	Е	D							D 2000
6.3	5.1	4.7	5.4	5.4	5.4	3.7	6	5.1	5	4.7	4.7	4.1	6.3					59.4	6
	Т	U	N	N	Е	L													E 2000
7.4	9.2	10.7	10.7	10.7	9.5	7.5	6.3											58.3	10
	А	Н	Е	А	D														E 2000
11	11.9	10.7	8.6	11.9	8.1	9.9												51.2	10

REV'D



SIGN NUMBER	41-5589
SIGN PANEL	15.0
TOTAL (Sq.fT.)	15.0
MUTCD	W13-7
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CA SHEETING TY BLACK TYPE	TALOG OF SIGNS FOR PE. WHEN COLOR IS IS "PLAIN".

Μ

REV'D

PLOTTED: 9/25/2018

V VARIABLE LEGEND

DIMENSIONS ARE IN INCHES
MATERIAL: .100 THK,SHEET ALUMINUM


SIDE MOUNTED

SIGN SUPPORT NO. N/A

LOCATION:N/A

		3.094
Q R S T U V W X Y Z AA	вв сс	
12.367 11.386 10.5 3.875 8.5 1.75 2.702 9.5 6.625 165 <sup>O</sup> VAR	7.698 2.25	

ENGINEER: MAC DESIGNED BY: JMF CHECKED BY:



SIGN NUMBER	41-5590
SIGN PANEL	15.0
TOTAL (Sq.fT.)	15.0
MUTCD	W13-6
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR 'PE. WHEN COLOR IS

REV'D /

PLOTTED: 9/25/2018

V VARIABLE LEGEND
DIMENSIONS ARE IN INCHES

MATERIAL: .100 THK.SHEET ALUMINUM


SIDE MOUNTED


SIGN SUPPORT NO. N/A


LOCATION:N/A

Α	В	С	D	Е	F	G	Н	J	K	L	М	N	Р
36	60	.625	.875	3.5	6E	2.5	2	22.531	2.25	10E	2.75	4.5E	3.094
Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	ВВ	СС	

	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	ВВ	CC
Ì	9.535	11.386	10.5	3.875	8.5	1.75	2.702	9.5	6.625	165 <sup>O</sup>	VAR	7.698	2.25







Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_

**Ground Mounted** 

REV'D /

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER

**BACKGROUND** 

PANEL SIZE

SIGN AREA

MUTCD

FILE: 415598

Jan 05, 2018

HT

415598

4'-0" x 5'-0"

20.0 Sq.Ft.

W13-3

TYPE:

TYPE:

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

\*


\*

COLOR: Black/Black

COLOR: Yellow

BDR INSET/WIDTH 0.75" / 1.25"

								LETT	ER P	OSIT	IONS	5 (X)			LENGT	TH SERIES/SIZE
	R	Α	М	Р												E 2000
7.5	7.5	9.7	9.9	6.5	7										33.5	8
	0	0														E 2000
9.2	16.6	13.4	8.7												30.1	16
	М	Р	Н													E 2000
13.6	9.2	7.2	4.9	13.1											21.3	6




Dimensions are in Inches

**Ground Mounted** 

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:



REV'D

SIGN NUMBER 41-5948 PANEL SIZE 1'-6" x 1'-0" SIGN AREA 1.5 Sq.Ft. MUTCD BDR INSET/WIDTH 0.38" / 0.44" **CORNER RADIUS** 1.5" \* TYPE: **BACKGROUND** COLOR: White \* TYPE: LEGEND/BORDER COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROT	X	Υ	WID	HT
$\exists$						

FILE: 41-5948 Oct 17, 2018

											LETT	ER P	OSIT	IONS	S (X)			LENGT	H SERIES/SIZE
D	А	N	G	Е	R														E 2000
3	4.9	7.3	9.4	11.5	13.4													12	2
Н	I	G	Н		V	0	L	Т	Α	G	Е								C 2000
1.5	2.9	3.5	4.9	6	7.5	8.9	10.4	11.5	12.6	14.1	15.5							15.1	2
G	R	0	U	N	D														E 2000
3	5	7	9.1	11.3	13.4													12.1	2





(E) Equal Spacing

 $\widehat{f V}$  Variable Legend

Dimensions are in Inches Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_\_

Ground Mounted

**REV'D 8/18** 

Revise background color from Fluor Yelow to Yellow.

FILE :41-6106

**SYMBOL** 

SIGN NUMBER

CORNER RADIUS

LEGEND/BORDER

**BACKGROUND** 

PANEL SIZE

SIGN AREA

MUTCD

10/16/2018

WID

HT

41-6106

2.5 Sq.Ft.

1.5"

TYPE:

TYPE:

REFER TO CATALOG OF SIGNS FOR

\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

Χ

BDR INSET/WIDTH 0.38" / 0.63"

ROT

W16-3a

\*

\*

COLOR: Black/Black

Υ

COLOR: Yellow

2'-6" x 1'-0"

								L	ETTE	ER P	OSIT	IONS	5 (X)			LENGT	TH SERIES/SIZE
0		М	I	L	Е	S											D 2000
4.5	7.3	11.3	15.4	17	20.1	22.9										21.2	4
														·			

SIGN DETAIL 1:10 2'-6" 5.3" AHEAD 5.7"

24.5"

41-6107 SIGN NUMBER 2'-6" x 1'-6" PANEL SIZE SIGN AREA 3.8 Sq.Ft. W16-9P MUTCD BDR INSET/WIDTH | 0.5" / 0.75" **CORNER RADIUS** 1.88" \* **BACKGROUND** TYPE: COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	ΗT

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:


**Ground Mounted** 

FILE:416107

6/13/2018

									LETT	ER P	OSIT	IONS	5 (X)			LENGT	TH SERIES/SIZE
	Α	Н	Е	А	D												C 2000
2.8	5.5	5.5	4.2	5.5	3.9	2.7										24.5	7

REV'D



1:15 3'-0" 8" 8"

27.9"

REV'D /

8"

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

1.5"

TYPE:

TYPE:

BDR INSET/WIDTH 0.38" / 0.63"

416116

6.0 Sq.Ft.

W16-9P

COLOR: Yellow

\*

\*

COLOR: Black/Black

3'-0" x 2'-0"

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER

**BACKGROUND** 

PANEL SIZE

SIGN AREA

MUTCD

SYMBOL ROT X Y WID HT

Dimensions are in Inches

SIGN DETAIL


Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_

**Ground Mounted** 

FILE: 416116 Feb 09, 2018

									LETT	ER P	OSIT	IONS	5 (X)			LENGT	TH SERIES/SIZE
	Α	Н	E	Α	D												C 2000
4	6.2	6.2	4.8	6.2	4.5	4.1										27.9	8




Dimensions are in Inches

**Ground Mounted** 

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_\_



REV'D

41-6125 SIGN NUMBER 2'-0" x 1'-0" PANEL SIZE SIGN AREA 2.0 Sq.Ft. W16-9P MUTCD BDR INSET/WIDTH 0.38" / 0.38" 1.5" **CORNER RADIUS** \* TYPE: BACKGROUND COLOR: Yellow \* LEGEND/BORDER TYPE: COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROT	Х	Υ	WID	HT
=						
-						
٦						

FILE: 416125 Oct 26, 2017


									LETT	ER P	OSIT	IONS	5 (X)			LENGT	TH SERIES/SIZE
	А	Н	Е	А	D												C 2000
3.3	3.9	3.9	3	3.9	2.8	3.3										17.5	5

Dimensions are in Inches

**Ground Mounted** 

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_



**REV'D** 

416126 SIGN NUMBER 2'-0" x 1'-0" PANEL SIZE SIGN AREA 2.0 Sq.Ft. W16-9P MUTCD BDR INSET/WIDTH | 0.16" / 0.44" **CORNER RADIUS** 1.5" \* TYPE: **BACKGROUND** COLOR: FL.Yellow Green \* LEGEND/BORDER TYPE: COLOR: Black/Black \*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

FILE: 416126 Feb 03, 2018

									LETT	ER P	OSIT	IONS	5 (X)			LENGT	TH SERIES/SIZE
	Α	Н	Е	Α	D												C 2000
3.3	3.9	3.9	3	3.9	2.8	3.3										17.5	5



REV'D

ROT

416127

2'-0" x 1'-0"

\*

COLOR: FL.Yellow \*

COLOR: Black/Black

Υ

WID

HΤ

2.0 Sq.Ft. W16-9P

1.5"

TYPE:

TYPE:

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

Х

BDR INSET/WIDTH 0.38" / 0.44"

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER

**BACKGROUND** 

**SYMBOL** 

PANEL SIZE

SIGN AREA

MUTCD

Dimensions are in Inches


Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_

**Ground Mounted** 

FILE: 416127 Feb 03, 2018

									LETT	ER P	OSIT	IONS	5 (X)			LENGT	TH SERIES/SIZE
	Α	Н	Е	Α	D												C 2000
3.3	3.9	3.9	3	3.9	2.8	3.3										17.5	5



REV'D

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

BDR INSET/WIDTH 0.38" / 0.63"

1.5"

TYPE:

TYPE:

41-6130

2.0 Sq.Ft.

2'-0" x 1'-0"

W16-2aP

COLOR: Yellow

\*

\*

COLOR: Black/Black

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER

**BACKGROUND** 

PANEL SIZE

SIGN AREA

MUTCD

SYMBOL	ROT	Х	Υ	WID	HT

Dimensions are in Inches


Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

FILE: 41-6130 Jun 13, 2018

									LETT	ER P	OSIT	IONS	5 (X)		LENG	TH SERIES/SIZE
	5	0	0		F	Т										D 2000
2.8	3.5	3.6	2.8	4	2.7	2.5	2								19.2	4



Dimensions are in Inches

**Ground Mounted** 

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

1:10

**REV'D 1/18** 

Revised sign size to 30" x 18" and font size to 6" B.


416134 SIGN NUMBER 2'-6" x 1'-6" PANEL SIZE SIGN AREA 3.75 Sq.Ft. W16-2aP MUTCD BDR INSET/WIDTH 0.38" / 0.63" **CORNER RADIUS** 1.5" \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Black

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT

FILE: 416134 Jan 11, 2018

										LETT	ER P	OSIT	IONS	5 (X)			LENGT	H SERIES/SIZE
	0	0	0	0		F	Т											B 2000
3.6	3.7	3.7	3.7	2.8	4	2.6	2.3	3.6									22.8	6



Dimensions are in Inches

Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_

**Ground Mounted** 

REV'D

SIGN NUMBER	41-6137
PANEL SIZE	2'-6" x 1'-6"
SIGN AREA	3.8 Sq.Ft.
MUTCD	W16-9P
BDR INSET/WIDTH	0.5" / 0.75"
CORNER RADIUS	1.88"
BACKGROUND	TYPE: *
	COLOR: FL.Yellow Green
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
REFER TO CATAL	OG OF SIGNS FOR


\* SHEETING TYPE.
WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Y	WID	HT

6/13/2018

FILE: 416107

									LETT	ER P	OSIT	IONS	(X)		LENGT	TH SERIES/SIZE
	А	Н	Е	Α	D											C 2000
2.8	5.5	5.5	4.2	5.5	3.9	2.7									24.5	7



REV'D

Dimensions are in Inches Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN". **SYMBOL** ROT Х Υ WID HT

416140

2.0 Sq.Ft.

1.5"

TYPE:

TYPE:

BDR INSET/WIDTH | 0.38" / 0.44"

2'-0" x 1'-0"

W16-2aP

\*

COLOR: FL.Yellow Green \*

COLOR: Black/Black

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER


**BACKGROUND** 


PANEL SIZE

SIGN AREA

MUTCD

Ground	Mount	ed													FILE:41	6140	·	Feb 10, 2018
									LETT	ER P	OSIT	IONS	5 (X)				LENGT	TH SERIES/SIZE
	0	0	0		F	Т												D 2000
2.3	3.6	3.6	2.8	4	2.7	2.5	2.3										19.3	4





REV'D

COLOR: Black/Black \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

1.5"

TYPE:

TYPE:

416142

3.8 Sq.Ft. W16-2aP

BDR INSET/WIDTH | 0.38" / 0.63"

2'-6" x 1'-6"

\*

COLOR: FL.Yellow Green \*

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER

**BACKGROUND** 

PANEL SIZE

SIGN AREA

MUTCD

	SYMBOL	ROT	Х	Y	WID	HT
_						

Dimensions are in Inches

Material: .080 Thick Sheet Aluminum


Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

FILE: 416142 Feb 10, 2018

									LETT	ER P	OSIT	IONS	S (X)			LENGT	TH SERIES/SIZE
	0	0	0		F	Т											D 2000
3.9	4.5	4.6	3.6	3	3.4	3.1	3.9									22.2	5

3.9"



REV'D

\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL ROT X Y WID HT

1.5"

TYPE:

TYPE:

41-6148

3.0 Sq.Ft.

W16-13

\*

\*

COLOR: Black/Black

COLOR: Yellow

BDR INSET/WIDTH 0.38" / 0.63"

2'-0" x 1'-6"

SIGN NUMBER

**CORNER RADIUS** 

LEGEND/BORDER

**BACKGROUND** 

PANEL SIZE

SIGN AREA

MUTCD

1	STRIBUL	KUI	^	VVID	1111
$\exists$					

Dimensions are in Inches


Material: .080 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:\_\_\_

**Ground Mounted** 


FILE: 41-6148 Aug 25, 2018

	LETTER POSITIONS (X)  LENGTH															TH SERIES/SIZE		
	W	Н	Е	N														C 2000
6.5	3.4	2.9	2.6	2.1	6.5												11	3.8
	F	L	Α	S	Н	I	N	G										C 2000
2.4	2.4	2.1	2.7	2.7	2.9	1.3	2.8	2.1	2.4								19.3	3.7



	LETTER POSITIONS (X)															LENGT	H SERIES/SIZE			
	М	a	i	n																C 2000
19.3	4.9	3.9	1.9	3.1	14.9														13.7	6/4.5
	S	t																		C 2000
36.8	3.8	2.2	5.3																5.9	6/4.5

W-16 SUPPLEMENTAL WARNING PLAQUE THIS SIGN TO BE SUBMOUNTED WITH WARNING SIGN 41-4706



Dimensions are in Inches

Material: .100 Thick Sheet Aluminum

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

REV'D /

SIGN NUMBER	41-6503
PANEL SIZE	4'-0" x 2'-0"
SIGN AREA	8.0 Sq.Ft.
MUTCD	W16-8P(CT)
BDR INSET/WIDTH	0.38" / 0.63"
CORNER RADIUS	1.5"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
. REFER TO CATAL	OG OF SIGNS FOR


\*\* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

SYMBOL	ROT	Х	Υ	WID	HT
D_5	360	38	5	5.5	7.2

FILE: 41-6503

Aug 27, 2018

_																				7149 27, 2010
	LETTER POSITIONS (X)															LENGT	TH SERIES/SIZE			
	V	А	R	I	Α	В	L	E												C 2000
2.9	4.1	4.7	4.4	1.7	4.7	4.4	3.9	3.1	14.3										30.8	6
	S	Т	R	Е	Е	Т														C 2000
2.9	3.9	3.9	4.4	4.1	3.6	3.1	22.2												22.9	6



SIGN NUMBER	41-8237
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W2-7R
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR 'PE. WHEN COLOR IS IS "PI AIN"

REV'D /


PLOTTED:7/17/2018

Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:



SIGN NUMBER	418238
SIGN PANEL	3'-0" x 3'-0"
TOTAL (Sq.fT.)	9.0
MUTCD	W2-7L
BDR INSET/WIDTH	0.625" / 0.875"
CORNER RADIUS	2.25"
BACKGROUND	TYPE: *
	COLOR: Yellow
LEGEND/BORDER	TYPE: *
	COLOR: Black/Black
	TALOG OF SIGNS FOR

\* SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

## REV'D

PLOTTED: 2/10/2018


Dimensions are in inches.

Material: .080 Thk. Sheet Aluminum

Side Mounted Location: N/A

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

Α	В	С	D	E	F	G	Н
30	18	3.625	6	.875	.625	2.25	12



SIGN DETAIL 1:20 4'-0" 4.5" **CAUTION** 4.5" **DRIVER** 3'-0" 6"E 4.5" **TRAINING** 6"E 4.5"

41"

SIGN NUMBER 44-5903 PANEL SIZE 4'-0" x 3'-0" SIGN AREA 12.0 Sq.Ft. MUTCD BDR INSET/WIDTH 0" / 0" **CORNER RADIUS** \* TYPE: **BACKGROUND** COLOR: Yellow \* TYPE: LEGEND/BORDER COLOR: Black/Yellow \* REFER TO CATALOG OF SIGNS FOR SHEETING TYPE. WHEN COLOR IS BLACK TYPE IS "PLAIN".

	SYMBOL	ROI	Х	Υ	MID	HI
_						
_						

Dimensions are in Inches

Material: Plywood

Engineer: B. Schilling / Designed By: J. Fascione / Checked By:

**Ground Mounted** 

FILE: 44-5903 Jan 02, 2019

	LETTER POSITIONS (X)														LENCT	CERTEC/CIZE			
												EK P	USII	TONS	5 (X)			LENGT	TH SERIES/SIZE
С	А	U	Т	I	0	N													E 2000
4.9	6.1	4.9	4.5	1.1	5	4.9												38	6
D	R	I	V	Е	R														E 2000
4.9	4.9	1.1	5.5	4.5	4.9													31.5	6
Т	R	Α	I	N	I	N	G												E 2000
4.5	4.9	6.1	1.1	4.9	1.1	4.9	4.9											41	6

REV'D